Volume 20

TRANSITION METAL CHEMISTRY

An International Journal

Editor-in-Chief

Dr D. R. M. Walton
School of Chemistry and Molecular Sciences
University of Sussex
Brighton BN1 9QJ, UK
Telephone (01273) 678326
Fax (01273) 677196

Associate Editor
M. C. Durrant AFRC
John Innes Centre, Norwich, UK

Editorial Board

J. Burgess (Leicester)
P. Chiusoli (Parma)
R. J. H. Clark (London)
J. R. Dilworth (Essex)
R. D. Gillard (Cardiff)
W. P. Griffith (London)
R. Henderson (Norwich)
M. B. Hursthouse (Cardiff)
Y. Jeannin (Paris)
B. F. G. Johnson (Cambridge)
J. A. McCleverty (Bristol)
L. Markó (Veszprém)
D. M. P. Mingos (London)
U. Schubert (Vienna)
M. V. Twigg (Johnson Matthey)

Published by

Chapman & Hall
2-6 Boundary Row
London SE1 8HN UK

Telephone 0171-865-0066
Fax 0171-522-9624

Note to subscribers

Transition Metal Chemistry is abstracted in Chemical Abstracts Service and Current Contents (Scisearch, Research Alert Service and Current Contents Physics, Chemistry and Earth Sciences).

Publication details: One volume per year in six parts (bi-monthly). Subscription period: calendar year only.

Subscriptions

The 1996 subscription rates for volume 21 (6 issues) are: (Print + Internet access) EU £500; USA/Canada US $840; rest of the world £532. (Print only) EU £432; USA/Canada US $730; rest of the world £464. Details of Internet access to this journal are available at: http://www.chaphall.com/chaphall/journals.html or contact Chapman & Hall at either of the addresses given below. UNESCO coupons are accepted as payment.

Enquiries for subscription orders should be sent to Chapman & Hall, Subscriptions, ITPS Ltd., Cheriton House, North Way, Andover, Hampshire, SP10 5BE, UK. Tel: +(0) 1264 342713; Fax: +(0) 1264 342807; email:chsub@itps.co.uk.

All subscription enquiries and prices for single issues for the UK and the rest of the world should be addressed to the Journals Promotion Department, Chapman & Hall, 2-6 Boundary Row, London SE1 8HN, UK; Tel: (0171) 865 0066; Fax: (0171) 522 9623; email:ksilver@chall.co.,

All subscription enquiries and prices for single issues for the USA or Canada should be addressed to the Journals Department, Chapman & Hall Inc., 115 Fifth Avenue, New York, NY 10003, USA. Tel: +1(212) 780 6235; Fax: +1(212) 260 1363; email:chsub@itps.co.uk

Journals are sent second-class in the UK and by air speeded post or air freight to most other countries. Journals can be sent by air mail letter rate at an additional cost, details of which are available on request.

Second-class postage paid at Rahway, NJ. Postmaster: send address corrections to Transition Metal Chemistry, c/o Mercury Airfreight International Ltd Inc., 2323 Randolph Avenue, Avenel, NJ 07001, USA.

Editorial enquiries to: Publisher's Editor, Transition Metal Chemistry, Chapman & Hall c/o 29 Vanbrugh Gate, Broome Manor, Swindon, Wiltshire, SN3 1NQ, UK. email:100412.3031@compuserve.com

Copyright © 1995 Chapman & Hall

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act, 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licences issued by the Copyright Licensing Agency in the UK.

US Copyright Law applicable to users in the USA.

Typeset by Thomson Press (India) Ltd, New Delhi, and printed in Great Britain at the University Press, Cambridge.

Author index

Abdel-Hady, A.E.-D.M. Kinetics and mechanism of oxidation of *tris*(ethylenediamine)- chromium(III) by *N*-bromosuccinimide 430

Abdel-Salam, A. Separation and structural studies of manganese(II), cobalt(II), nickel(II), copper(II) and cadmium(II) complexes of benzilic and mandelic esters 423

Abu El-Nader, H.M. Solvent effects on the kinetics and mechanism of the thermal decomposition of *tris*-oxalactocobaltate(III) complex 316

Acharya, A.N. Complex formation between nickel(II) and 2-(2-aminoethyl) benzimidazole: a kinetic and equilibrium study 147
Kinetics and mechanism of complex formation between beryllium(II) and the 3-nitrosalicyl-atopentaamminecobalt(III) ion 406

Akinchan, N.T. Magnetic and spectroscopic properties of copper(II) complexes with 1-salicoyl-4-phenylthiosemicarbazide 481

Ali, M.A. The preparation and characterization of some new nickel(II), copper(II), zinc(II) and cadmium(II) complexes of the pyrrole-2-carboxaldehyde Schiff bases of *S*-alkyl esters of dithiocarbazic acid 19

Al-Jibori, S.A. Intensely green quinonoid $[Cr(CO)_4(Ph_2P)_2C{=}C_6H_4{=}C(R)O_2CR\text{-}P,P]$ complexes 120
Synthesis and characterization of mononuclear palladium(II) and platinum(II), dinuclear palladium(I) and platinum(I), and heterobimetallic (Pt-Hg or Pt-Ag) complexes containing 1,1-*bis*-(diphenylphosphino)ethane as ligand 523

Al-Jowder, O. An MCl_4^{2-} moiety (M = copper, zinc, cadmium and mercury) stabilized by *bis*(ethylenediamine)copper(II) cation 123

Al-Saleh, F. An MCl_4^{2-} moiety (M = copper, zinc, cadmium and mercury) stabilized by *bis*(ethylenediamine)copper(II) cation 123

Alvarado, Y. Kinetics and mechanisms of homogeneous catalytic reactions. Part 2. Hydrogenation of cyclohexane catalysed by $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ 242
Kinetics and mechanisms of homogeneous catalytic reactions. Part 3. Regioselective, catalysed $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ reduction of quinoline 246

Álvarez, C. Synthesis and structural characterization of tricarbonyl *bis*-[Di(*N,N''*-allylamino)carbene]chromium and tungsten(0) complexes 508

Alvarez de Cienfuegos-López, G. Silver(I), palladium(II), platinum(II) and platinum(IV) complexes with isoorotate and 2-thioisoorotate ligands: synthesis, i.r. and n.m.r. spectra, thermal behaviour and antimicrobial activity 262

Amer, S.A. Kinetics and mechanism of the homogeneous reaction between some manganese(III)-Schiff base complexes and hydrogen peroxide in aqueous and sodium dodecyl sulphate solutions 494

Anacona, J.R. Manganese, cobalt and nickel complexes with a novel 17-membered macrocycle containing an N_5 donor set 239

Angeles Diaz-Diez, M. Complexes of copper(II) with sugar α-amino acids as ligands 402

Aqra, F.M.A.M. An MCl_4^{2-} moiety (M = copper, zinc, cadmium and mercury) stabilized by *bis*(ethylenediamine)copper(II) cation 123

Arancibia, V. Redox chemistry of mononuclear manganese(II), binuclear manganese(III) and binuclear mixed manganese(II)-manganese(III) complexes with 3- aminopyrazine-2-carboxylate in dimethylsulphoxide 179

Arasu, P.T. Mixed-ligand complexes of nickel(II) involving sulphur-containing ligands and diaminocarboxylic acids 132

Arjmand, F. Chelating behaviour of new 12-membered Schiff base macrocycles containing pendant groups 13

Arquero, A. Synthetic and physicochemical studies of divalent metal complexes with cyclic hydrazone and semicarbazone ligands 157

Athappan, P. Synthesis and spectral studies of copper(II), nickel(II) and cobalt(II) complexes of 2-hydroxy- ω-4-X-cinnamoyl acetophenones and their pyridine adducts 356
Synthesis and spectral studies of copper(II), nickel(II), cobalt(II) and vanadyl(II) complexes of tridentate Schiff bases of 1,2,3,5,6,7, 8,8a-octahydro-3-oxo-*N*,1-diphenyl-5-(phenylmethylene)-2-naphthalenecarboxamide 472

Awad, M.K. Spectral, magnetic studies and molecular orbital calculations for (4,5- dimethyl-3-pyrazolyl)aldazine copper(II) complexes 448

Ayoko, G.A. Kinetics and mechanism of the reduction of diaquatetrakis (2,2′-bipyridine)-μ-oxo diruthenium(III) by ascorbic acid 30

Bailey, A.J. Studies on transition metal nitrido and oxo complexes. Part 16. The nature of the oxoruthenates involved in some ruthenium-catalysed organic oxidations 590

Bala, B. 4-*t*-Butylphenoxo complexes of oxovanadium(V) 388

Bandyopadhyay, P. Cyclopalladation and metaloxylation of 1-(phenylazo)-2-hydroxynaphthalene 415

Banerjee, D. Solid state Mössbauer, e.p.r., magnetic properties and thermally induced stereochemical studies on double complex salts of cyclic diamine containing cationic copper(II) complexes and a hexacyanoferrate(III) anion 417

Banerji, K.K. Kinetics and mechanism of the oxidation of DL-methionine by *bis*(2,2′- bipyridyl)copper(II) permanganate 288

Baraona, R. Formation constants and oxidation of *bis*(1,10-phenanthroline)copper(I) perchlorate and *bis*(2,2′-bipyridine)copper(I) perchlorate by molecular oxygen in formamide 518

Batra, G. Distorted pentacoordinate copper(II) complexes containing a tridentate ligand 26

Battistuzzi, G. Synthesis, spectroscopic, magnetic, conductometric and electrochemical investigations of nickel(II)-1-phenyl-4,6-dimethylpyrimidine-2-thione complexes 212

Battistuzzi, R. Synthesis, spectroscopic, magnetic, conductometric and electrochemical investigations of nickel(II)-1-phenyl-4,6-dimethylpyrimidine-2-thione complexes 212

Beena, B. A comparative study of the catalytic activity of $[Cu(NH_3)_4]^{2+}$ sorbed on zirconium phosphate and zirconium phenylphosphonate 166

Belal, A.A.M. The structure and complexation equilibria of copper(II) with 4-($\frac{-}{4}$ nitrophenyl)azo-2-phenyloxazolin-5-one 384

Bell, M.N. Ruthenium complexes of thioether/oxa ionophores: the synthesis and single-crystal X-ray structures 600

Bernalte-Garcia, A. Complexes of copper(II) with sugar α-amino acids as ligands 402

Bhand, M.D. Tetrachloroaurate(III) oxidation of thallium(I) 367

Bhattacharya, R.L. Solid state Mössbauer, e.p.r., magnetic properties and thermally induced stereochemical studies on double complex salts of cyclic diamine containing cationic copper(II) complexes and a hexacyanoferrate(III) anion 417

Bhattacharya, S. Synthesis, characterization and cyclic voltammetric studies of monopicolinate complexes of ruthenium(II) 138

Bhattacharyya, N.K. Catalytic reactions of formate. 3. Noble metal chlorides as catalyst precursors for formic acid reactions 321

Bhawmick, R. Cyclopalladation and metaloxylation of 1-(phenylazo)-2-hydroxynaphthalene 415

Bian, G-Q. Solid state synthesis of copper(I) thiotungstate cluster compounds at low heating temperatures. Crystal structures of $[(n\text{-}Bu)_4N]_3[WS_4Cu_3Cl_3Br]$ and $[Et_4N]_4[WS_4Cu_4I_6]$ 376

Blake, A.J. Products from the trimethylamine *N*-oxide activation reaction of $Ru_4(CO)_{12}(\mu_4\text{-}C_6H_8)$ with cyclohexa-1,3-diene 565
Ruthenium complexes of thioether/oxa ionophores: the synthesis and single-crystal X-ray structures 600
The synthesis and structure of the [2,2]paracyclophane cluster $Ru_6C(CO)_{13}(\mu_3\text{-}\eta^2{:}\ \eta^2{:}\ \eta^2\text{-}C_{16}H_{16})(PPh_3)$ and a study of the ^{1}H-n.m.r. spectra of [2.2]paracyclophane and benzene clusters 577

Bo, W. Transition metal complexes derived from 2-mercaptobenzothiazole 391

Bodini, M. Redox chemistry of mononuclear manganese(II), binuclear manganese(III) and binuclear mixed manganese(II)-manganese(III) complexes with 3-aminopyrazine-2-carboxylate in dimethylsulphoxide 179

Borsari, M. Synthesis, spectroscopic, magnetic, conductometric and electrochemical investigations of nickel(II)-1-phenyl-4,6-dimethylpyrimidine-2-thione complexes 212

Bottomley, L.A. Kinetic and electrochemical study of nitrile adducts of tetrachloro- *bis*(1,2-*bis*(diphenylphosphine)methanedirhenium(II) 409

Bouet, G.M. Spectrophotometric investigation of nickel(II) chloro complexes in alcoholic solutions 369

Boves, M. Kinetics and mechanisms of homogeneous catalytic reactions. Part 3. Regioselective, catalysed $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ reduction of quinoline 246

Braga, D. A variable temperature study of $Ru_3(CO)_{12}$ in the solid state and the generation of alternative crystal structures 615

Březina, F. Tetrathiomolybdates of nickel 56

Burda, B. Oxo-tricyano complexes of molybdenum(IV) and tungsten(IV) with bidentate Schiff bases 291

Burgess, J. Oxo-tricyano complexes of molybdenum(IV) and tungsten(IV) with bidentate Schiff bases 291

Butcher, R.J. Molecular structure and spectral properties of bromo(2-acetylpyridine ^4N-methylthiosemicarbazonato)copper(II) 84

Cai, J-H. Solid state synthesis of copper(I) thiotungstate cluster compounds at low heating temperatures. Crystal structures of $[(n\text{-}Bu)_4N]_3[WS_4Cu_3Cl_3Br]$ and $[Et_4N]_4[WS_4Cu_4I_6]$ 376

Caldwell, G. Synthesis and X-ray crystal structure of *cis*- dichloro(cyclopentylamine)(dimethyl sulphoxide)platinum(II) 200

Carballo, R. Dinuclear complexes of cobalt(II) with *N,N′*-substituted dithioxamides derived from α-aminoacids 477
Spectral studies of cobalt(III) complexes of heterocyclic 3-azacyclothiosemicarbazones and the structure of the acetylpyrazine 3-azabicyclo[3,2,2]nonylthiosemicarbazone complex 228

Castiñeiras, A. Dinuclear complexes of cobalt(II) with *N,N′*-substituted dithioxamides derived from α-aminoacids 477
Spectral studies of cobalt(III) complexes of heterocyclic 3-azacyclothiosemicarbazones and the structure of the acetylpyrazine 3-azabicyclo[3,2,2]nonylthiosemicarbazone complex 228

Chakravarty, J. Synthesis, characterization and cyclic voltammetric studies of monopicolinate complexes of ruthenium(II) 138

Chambers, J.Q. Voltammetry and electrocatalytic properties of cobalt (1,4,8,12-tetraazacyclopentadecane) in aqueous solution 552

Chamizo, J.A. Synthesis and structural characterization of tricarbonyl *bis*-[Di(*N,N′*-allylamino)carbene]chromium and tungsten(0) complexes 508

Chaudhry, S.C. 4-*t*-Butylphenoxo complexes of oxovanadium(V) 388

Chen, Y. Synthesis and ^{183}W- and ^{51}V-n.m.r. characterization of the α- $GaW_9V_3O_{40}^{8-}$ heteropolyanion 327

Chudasama, U. A comparative study of the catalytic activity of $[Cu(NH_3)_4]^{2+}$ sorbed on zirconium phosphate and zirconium phenylphosphonate 166

Clifford, T. Binuclear metal(II) complexes of a 30-membered hexa-aza macrocyclic ligand 220

Colonna, C. Infrared study of complexes between iron, salicylaldehyde benzoyl hydrazone and seven analogous derivatives 338

Cossé-Barbi, A. Infrared study of complexes between iron, salicylaldehyde benzoyl hydrazone and seven analogous derivatives 338

Cother, L.D. Studies on transition metal nitrido and oxo complexes. Part 16. The nature of the oxoruthenates involved in some ruthenium-catalysed organic oxidations 590

Crabtree, R.H. Arene ruthenium complexes of the thermally resistant ligand tri-2-pyridylamine 595

Cronier, D. Spectrophotometric investigation of nickel(II) chloro complexes in alcoholic solutions 369

Cun, L. Synthesis, spectral and magnetic studies on mixed-ligand complexes $M(DIAFO)_2(NCS)_2$ and $M(DIAFH)_2X_2$(M = Fe^{II},Co^{II},Ni^{II}). The crystal structure of $Co(DIAFO)_2(NCS)_2$ 191

Cunningham, D. The reactions of $[Fe_2(\eta\text{-}Cp)_2(CNAr)_4]$ complexes with halogens and tin(II) halides 540

Czakis-Sulikowska, D. 2,4′-Bipyridyl complexes with cobalt(II) and nickel(II) 203

Dahl, W.R. Triethylenetetraminehexa-acetatoferrato(II)cuprate(II), $[Fe^{II}Cu^{II}(ttha)]^{2-}$; oxidation-induced cross-binuclear metal exchange 280

Dallari, D. Synthesis, spectroscopic, magnetic, conductometric and electrochemical investigations of nickel(II)-1-phenyl-4,6-dimethylpyrimidine-2-thione complexes 212

Dallocchio, R. Synthesis and spectroscopic characterization of ternary complexes of copper(II) glycylglycine and substituted phenanthrolines 351

Danby, A. Binuclear metal(II) complexes of a 30-membered hexa-aza macrocyclic ligand 220

Das, N. Interaction of bivalent transition metal ions with iminodiacetato(pentaammine/tetraammine)cobalt(III) ions. A kinetic and equilibrium study 463

Das, P.K. Ionophoric binding of alkaline earth metal ions (M^{2+}) by *tris*-(arylazo oximato)osmium(II) anions, $[OsA_3]^-$ 361

Synthesis and characterization of new mononitrosyl complexes of osmium- containing quinoline-8-olates 59

Das, R. Interaction of bivalent transition metal ions with iminodiacetato(pentaammine/tetraammine)cobalt(III) ions. A kinetic and equilibrium study 463

Dasgupta, T.P. Mechanism of the oxidation of L-ascorbic acid by the pentaammineaquacobalt(III) ion in aqueous solution 295

Dash, A.C. Complex formation between nickel(II) and 2-(2-aminoethyl) benzimidazole: a kinetic and equilibrium study 147
Kinetics and mechanism of complex formation between beryllium(II) and the 3-nitrosalicylatopentaamminecobalt(III) ion 406
Kinetics and mechanism of the complex formation between oxalatopentaamminecobalt(III) and aluminium(III) and gallium(III); a comparative study 153

de Gala, S.R. Arene ruthenium complexes of the thermally resistant ligand tri-2-pyridylamine 595

de Lima, G.M. Tin, palladium and platinum derivatives of 1,1′-*bis*(diphenylphosphine)ferrocene. Crystal and molecular structures of 1,1′- *bis*-(diphenylphosphine)ferrocenedichloropalladium(II) and of 1, 1′-*bis*(diphenylphosphine)ferro-cenedichloroplatinum(II) 380

del Valle, M.A. Redox chemistry of mononuclear manganese(II), binuclear manganese(III) and binuclear mixed manganese(II)-manganese(III) complexes with 3-aminopyrazine-2-carboxylate in dimethylsulphoxide 179

Desseyn, H.O. The synthesis, spectroscopic and thermal study of oxamic acid compounds of some metal(II) ions 454

Dixon, D.A. Mechanism of the oxidation of L-ascorbic acid by the pentaammineaquacobalt(III) ion in aqueous solution 295

Doucet, J-P. Infrared study of complexes between iron, salicylaldehyde benzoyl hydrazone and seven analogous derivatives 338

Duczmal, W. Effect of substituents at silicon on the oxidative addition of trisubstituted silanes to [RhCl(cod)PPh_3] 162
Stereoelectronic effects of substituents at silicon on the hydrosilylation of 1-hexene catalysed by [RhCl(cod)(1-hexene)] 435

Durrant, M.C. Crown thioethers and the kinetic macrocyclic effect. Solvolysis of molybdenum(0) tricarbonyl complexes of cyclic and acyclic trithio-ethers 583

Dyson, P.J. A variable temperature study of $Ru_3(CO)_{12}$ in the solid state and the generation of alternative crystal structures 615
Products from the trimethylamine *N*-oxide activation reaction of $Ru_4(CO)_{12}(\mu_4\text{-}C_6H_8)$ with cyclohexa-1,3-diene 565
The synthesis and structure of the [2.2]paracyclo-phane cluster $Ru_6C(CO)_{13}(\mu_3\text{-}\eta^2\text{: }\eta^2\text{: }\eta^2\text{-}C_{16}H_{16})(PPh_3)$ and a study of the ^{1}H-n.m.r. spectra of [2.2]paracyclophane and benzene clusters 577

Eagle, C.T. Kinetic and electrochemical study of nitrile adducts of tetrachloro- *bis*(1,2-*bis*(diphenylphosphine)methanedirhenium(II) 409

El-Bahnasawy, R.M. Structural studies on new copper(II) phenylhydrazoacetylacetone isonicotinoyl hydrazone complexes 104

El-Dissouky, A. Spectral, magnetic studies and molecular orbital calculations for (4,5-dimethyl-3-pyrazolyl)aldazine copper(II) complexes 448

El-Hawary, W.F. Separation and structural studies of manganese(II), cobalt(II), nickel(II), copper(II) and cadmium(II) complexes of benzilic and mandelic esters 423

El-Nader, H.M.A. Solvent effect on the kinetics and mechanism of the thermal decomposition of *tris*-oxalactocobaltate(III) complex 316

El-Shahat, M.F. Kinetics and mechanism of oxidation of *tris*(ethylenediamine)- chromium(III) by *N*-bromosuccinimide 430

El-Shereafy, E.-S Structural studies on new copper(II) phenylhydrazoacetylacetone isonicotinoyl hydrazone complexes 104

Ewen, R.J. Novel chromium(III)/(VI) adducts of XPS-determined mixed valence, from electroreduced chromium(VI) 88

Fahmi, N. Palladium(II) complexes of ketimines 185

Fan, Y. Double-sphere coordination point-charge field model and some relevant problems 485

Fanwick, P.E. Reactions of the multiply-bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-dppm})_2(CNR)$ (X = Cl or Br; R = *t*-Bu or xylyl) with alkynes. Structural characterization of $[Re_2Cl_3(\mu\text{-dppm})_2(CN\text{-}t\text{-Bu})(\eta^2\text{- HCCH})]O_3SCF_3$ and a comparison with the related carbonyl species 625

Faraglia, G. Palladium(II) and platinum(II) complexes with N-substituted methionines 91

Fawcett, J. Synthesis of sulphonated aminomethylphosphines and some nickel(II), palladium(II), platinum(II) and rhodium(I) complexes. Crystal structure of $[Et_3NH][(Ph_2PCH_2)_2N(CH_2)_2SO_3]$ 548

Feng, L. Formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone and its transition metal complexes 511

Fernández, V. Synthetic and physicochemical studies of divalent metal complexes with cyclic hydrazone and semicarbazone ligands 157

Fernando, K.R. The preparation and characterization of some new nickel(II), copper(II), zinc(II) and cadmium(II) complexes of the pyrrole-2-carboxaldehyde Schiff bases of *S*-alkyl esters of dithiocarbazic acid 19

Field, J.S. Synthesis and X-ray crystal structure of *cis*-dichloro(cyclopentylamine)(dimethyl sulphoxide)platinum(II) 200
Synthesis of the *cis* and *trans* isomers of *tert*-butylaminedichloro-(dimethyl sulphoxide)platinum(II) and x-ray structure analysis of the *cis* compound 62

Filgueiras, C.A.L. Tin, palladium and platinum derivatives of 1,1′-*bis*(diphenylphosphine)ferrocene. Crystal and molecular structures of 1,1′- *bis*-(diphenylphosphine)ferrocenedichloropalladium(II) and of 1,1′-*bis*(diphenylphosphine)ferro-cenedichloroplatinum(II) 380

Firdaus, F. Ethylenediamine complexes of transition metal *bis*(chlorosulphates) 34
Synthesis and characterization of adducts of dichlorosulphato *bis*(1,3-propylenediamine)metal(II) complexes with dialkyltin dichlorides 142

Fuess, H. X-ray crystallographic and physical investigation of tricyanomethanide and dicyanamide complexes of cobalt(II) with imidazole and its methyl derivatives 276

Gallardo, N. Kinetics and mechanisms of homogeneous catalytic reactions. Part 2. Hydrogenation of cyclohexane catalysed by $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ 242

Gangwal, C.M. Trace metal ion catalysis; kinetics and mechanism of oxidation of metol by hydrogen peroxide in the presence of iron(III) sulphate in acid perchlorate 111

Garcia, A.M. Formation constants and oxidation of *bis*(1,10-phenanthroline)copper(I) perchlorate and *bis*(2,2′-bipyridine)copper(I) perchlorate by molecular oxygen in formamide 518

Garcia-Barros, F.J. Complexes of copper(II) with sugar α-amino acids as ligands 402

Garg, B.S. Synthesis and spectral studies of nickel(II), palladium(II) and platinum(II) complexes with tetrahydroquinoline and tetrahydroisoquinoline dithiocarbamato ligands 97

Garg, R.K. Synthesis and spectral studies of nickel(II), palladium(II) and platinum(II) complexes with tetrahydroquinoline and tetrahydroisoquinoline dithiocarbamato ligands 97

Gebremedhin, H. Molecular structure and spectral properties of bromo(2-acetylpyridine ^4N-methylthiosemicarbazonato)copper(II) 84
Spectral studies of cobalt(III) complexes of heterocyclic 3-azacyclothiosemicarbazones and the structure of the acetylpyrazine 3-azabicyclo[3,2,2]nonylthiosemicarbazone complex 228

Ghatak, N. Synthesis, characterization and cyclic voltammetric studies of monopicolinate complexes of ruthenium(II) 138

Ghosh, B.K. Ionophoric binding of alkaline earth metal ions (M^{2+}) by *tris*-(arylazo oximato)osmium(II) anions, $[OsA_3]^-$ 361
Synthesis and characterization of new mononitrosyl complexes of osmium- containing quinoline-8-olates 59

Gidd, A.N. Tetrachloroaurate(III) oxidation of thallium(I) 367

Giotto, M.T.S. Tin, palladium and platinum derivatives of 1,1′-*bis*(diphenylphosphine)ferrocene. Crystal and molecular structures of 1,1′- *bis*-(diphenylphosphine)ferro-cenedichloropalladium(II) and of 1, 1′-*bis*(diphenylphosphine)ferro-cenedichloroplatinum(II) 380

Gladiali, S. Synthesis and spectroscopic characterization of ternary complexes of copper(II) glycylglycine and substituted phenanthrolines 351

Goerdt, B. Crown thioethers and the kinetic macrocyclic effect. Solvolysis of molybdenum(0) tricarbonyl complexes of cyclic and acyclic trithioethers 583

Gok, Y. Axial-ligation and macrocyclization of novel (*E,E*)-dioximes of nickel(II), palladium(II), platinum(II) and cobalt(III) 234

Gokavi, G.S. Tetrachloroaurate(III) oxidation of thallium(I) 367

Gould, R.O. Ruthenium complexes of thioether/oxa ionophores: the synthesis and single-crystal X-ray structures 600

Grepioni, F. A variable temperature study of $Ru_3(CO)_{12}$ in the solid state and the generation of alternative crystal structures 615

Griffith, W.P. Studies on transition metal nitrido and oxo complexes. Part 16. The nature of the oxoruthenates involved in some ruthenium-catalysed organic oxidations 590

Guo, Z. Palladium(II) and platinum(II) complexes with N-substituted methionines 91

Haigang, J. Formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone and its transition metal complexes 511

Hameed, S. Ethylenediamine complexes of transition metal *bis*(chlorosulphates) 34
Synthesis and characterization of adducts of dichlorosulphato *bis*(1,3-propylenediamine)metal(II) complexes with dialkyltin dichlorides 142

Hankin, D.M. Studies on transition metal nitrido and oxo complexes. Part 16. The nature of the oxoruthenates involved in some ruthenium-catalysed organic oxidations 590

Hauser, C. Crown thioethers and the kinetic macrocyclic effect. Solvolysis of molybdenum(0) tricarbonyl complexes of cyclic and acyclic trithioethers 583

Hay, R.W. Binuclear metal(II) complexes of a 30-membered hexa-aza macrocyclic ligand 220

Henriquez, I. Characterization and electrochemical studies of molybdenum(VI) dioxodialkylbipyridyl complexes. X-ray crystal structure of $MoO_2(o\text{-}MeC_6H_4CH_2)_2(bipy)$ 426

Higes-Rolando F.J. Complexes of copper(II) with sugar α-amino acids as ligands 402

Holder, G.N. Kinetic and electrochemical study of nitrile adducts of tetrachloro- *bis*(1,2-*bis*(diphenylphosphine)methanedirhenium(II) 409

Honeybourne, C.L. Novel chromium(III)/(VI) adducts of XPS-determined mixed valence, from electroreduced chromium(VI) 88

Hongyun, Z. Formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone and its transition metal complexes 511

Hongzhu, M. Transition metal complexes derived from 2-mercaptobenzothiazole 391

Hosny, W.M. Equilibrium and hydrolysis of α-amino acid esters in mixed-ligand complexes with *N*-(acetamido)-iminodiacetatecopper(II) 252

Hu, M-F. A novel monooxygenase model compound: the oxidative demethylation of a macrocyclic bicopper(I) complex 634

Huan, Z-W. Crystal structure and magnetic behaviour of a trinuclear copper(II) complexes with bridging nitronyl nitroxides 136

Huang, Z-C. Synthesis and magnetic properties of copper(II) *bis*(phenylsulphinyl)ethane complexes 557

Hueso-Ureña, F. Silver(I), palladium(II), platinum(II) and platinum(IV) complexes with isoorotate and 2-thioisoorotate ligands: synthesis, i.r. and n.m.r. spectra, thermal behaviour and antimicrobial activity 262

Huffman, J.C. Searching for transition metal coordination compounds, which complex carbohydrates in water solution; synthesis, X-ray crystal structure and u.v.-vis. spectra of oxo-bis[bis-acetonitriletrichlororuthenium] 413

Hughes, D.L. Syntheses and properties of the gold(I) complexes with bulky thiolates $[Au(SR)]_6$ and $[Au(SR)(PPh_3)]$ and the molecular structure of $[Au(SC_6H_2Pr^i_3\text{-}2,4,6)(PPh_3)]$ 372

Hursthouse, M.B. Crystal and molecular structure of μ-(dimethylsilanediyl)dimethylene-*bis*(trimethylsilylmethyl)molybdio-*tris*(trimethylphosphine)molybdenum(I)(4 Mo-Mo) 574

Hvastijová , M. X-ray crystallographic and physical investigation of tricyanomethanide and dicyanamide complexes of cobalt(II) with imidazole and its methyl derivatives 276

Ingham, S.L. Products from the trimethylamine *N*-oxide activation reaction of $Ru_4(CO)_{12}(\mu_4\text{-}C_6H_8)$ with cyclohexa-1,3-diene 565
The synthesis and structure of the [2.2]paracyclophane cluster $Ru_6C(CO)_{13}(\mu_3\text{-}\eta^2\text{: }\eta^2\text{: }\eta^2\text{-}C_{16}H_{16})(PPh_3)$ and a study of the ^{1}H-n.m.r. spectra of [2.2]paracyclophane and benzene clusters 577

Issa, R.M. Separation and structural studies of manganese(II), cobalt(II), nickel(II), copper(II) and cadmium(II) complexes of benzilic and mandelic esters 423

Issa, Y.M. Separation and structural studies of manganese(II), cobalt(II), nickel(II), copper(II) and cadmium(II) complexes of benzilic and mandelic esters 423
Structural studies on new copper(II) phenylhydrazoacetylacetone isonicotinoyl hydrazone complexes 104

Iyun, J.F. Kinetics and mechanism of the reduction of diaquatetrakis (2,2′- bipyridine)-μ-oxo diruthenium(III) by ascorbic acid 30

Jäger, L. X-ray crystallographic and physical investigation of tricyanomethanide and dicyanamide complexes of cobalt(II) with imidazole and its methyl derivatives 276

Jamhour, R.M.A.Q. An MCl_4^{2-} 2-moiety (M = copper, zinc, cadmium and mercury) stabilized by *bis*(ethylenediamine)copper(II) cation 123

Jasinski, J.P. Molecular structure and spectral properties of bromo(2-acetylpyridine ^4N-methylthiosemicarbazonato)copper(II) 84

Jaya Prakash Rao, P. Kinetics and mechanism of oxidation of some reducing sugars by diperiodatoargentate(III) in alkaline medium 344

Jeffery, J.C. Cationic β-diketonato molybdenum nitrosyl complexes: redox and structural properties 559

Jeyasubramanian, K. Cyclic voltammetric and e.s.r. studies of a tetraaza 14-membered macrocyclic copper(II) complex derived from 3-salicylideneacetylacetone and *o*-phenylenediamine: stabilization and activation of unusual oxidation states 76

Jiang, Z. Binuclear complexes of chromium, manganese and rhodium with *N*- hydroxyethyl-*N,N′,N′*-tribenzimidazolylmethylethylenediamine 273

Jiang, Z-H. Crystal structure and magnetic behaviour of a trinuclear copper(II) complexes with bridging nitronyl nitroxides 136
Novel dioximato-bridged chromium(III)-copper(II)-chromium(III) trinuclear complexes with ferromagnetic exchange interactions 396
Synthesis and magnetic properties of tetrabromophthalato-bridged manganese(II) binuclear complexes 399
Synthesis and magnetic properties of trinuclear copper(II) complexes bridged by dimethylglyoximate groups 72
Synthesis and magnetism of 2-hydroxy-1,3-propanediyl*bis*(oxamato) bridged trinuclear copper(II) complexes 445
Synthesis and magnetism of tetrachlorophthalato-bridged manganese(II) binuclear complexes 270
Jianmin, L. Spectroscopic properties and coordination structure studies on the [Cu(L-Glu)(Im)] complex 115
Johnson, B.F.G. A variable temperature study of $Ru_3(CO)_{12}$ in the solid state and the generation of alternative crystal structures 615
Products from the trimethylamine *N*-oxide activation reaction of $Ru_4(CO)_{12}(\mu_4\text{-}C_6H_8)$ with cyclohexa-1,3-diene 565
The synthesis and structure of the [2,2]paracyclophane cluster $Ru_6C(CO)_{13}(\mu_3\text{-}\eta^2\text{: }\eta^2\text{-}C_{16}H_{16})(PPh_3)$ and a study of the ^{1}H-n.m.r. spectra of [2.2]paracyclophane and benzene clusters 577
Kai-Be, Y. Synthesis, spectral and magnetic studies on mixed-ligand complexes $M(DIAFO)_2(NCS)_2$ and $M(DIAFH)_2X_2$ (M = Fe^{II},CO^{II},Ni^{II}). The crystal structure of $Co(DIAFO)_2(NCS)_2$ 191
Kalia, S.B. Oxovanadium(IV), manganese(II) and manganese(III) carbodithioates exhibiting abnormal magnetic behaviour 503
Kang, B-S. Solid state synthesis of copper(I) thiotungstate cluster compounds at low heating temperatures. Crystal structures of $[(n\text{-}Bu)_4N]_3[WS_4Cu_3Cl_3Br]$ and $[Et_4N]_4[WS_4Cu_4I_6]$ 376
Kantekin, H. Axial-ligation and macrocyclization of novel (*E,E*)-dioximes of nickel(II), palladium(II), platinum(II) and cobalt(III) 234
Karabocek, S. Axial-ligation and macrocyclization of novel (*E,E*)-dioximes of nickel(II), palladium(II), platinum(II) and cobalt(III) 234
Karunakaran, C. Molybdenum(VI) catalysis of perborate or hydrogen peroxide oxidation of iodide ion 460
Kashar, T.I. Structural studies on new copper(II) phenylhydrazoacetylacetone isonicotinoyl hydrazone complexes 104
Kemmitt, R.D.W. Synthesis of sulphonated aminomethylphosphines and some nickel(II), palladium(II), platinum(II) and rhodium(I) complexes. Crystal structure of $[Et_3NH][(Ph_2PCH_2)_2N(CH_2)_2SO_3]$ 548
Khalil, M.M. Equilibrium and hydrolysis of α-amino acid esters in mixed-ligand complexes with *N*-(acetamido)-iminodiacetatecopper(II) 252
Khan, A.A. Reactions of $[(Cp)_2Ti(NCS)_2]$ as a potential metalloligand; synthesis and physico-chemical investigations of novel heterobimetallic complexes 469
Khan, M.A. Spectrophotometric investigation of nickel(II) chloro complexes in alcoholic solutions 369
King, A.D. Jr. Catalytic reactions of formate. 3. Noble metal chlorides as catalyst precursors for formic acid reactions 321
King, R.B. Catalytic reactions of formate. 3. Noble metal chlorides as catalyst precursors for formic acid reactions 321
Kisielinska, M. Searching for transition metal coordination compounds, which complex carbohydrates in water solution; synthesis, X-ray crystal structure and u.v.-vis. spectra of oxo-bis[bis-acetonitriletrichlororuthenium] 413
Kita, M. Cyclopalladation of *N,N,N′,N′*-tetramethylisophthalthioamide 528
Klein, T.L. Magnetic and spectroscopic properties of copper(II) complexes with 1- salicoyl-4-phenylthiosemicarbazide 481
Kocíolek, K. Copper(II) and oxovanadium(IV) complexes of α-hydroxymethyl-serine 23
Kohli, H.S. Oxovanadium(IV), manganese(II) and manganese(III) carbodithioates exhibiting abnormal magnetic behaviour 503
Kohout, J. X-ray crystallographic and physical investigation of tricyanomethanide and dicyanamide complexes of cobalt(II) with imidazole and its methyl derivatives 276
Kopel, P. Tetrathiomolybdates of nickel 56
Kort, D.A. Reactions of the multiply-bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-}dppm)_2(CNR)$ (X = Cl or Br; R = *t*-Bu or xylyl) with alkynes. Structural characterization of $[Re_2Cl_3(\mu\text{-}dppm)_2(CN\text{-}t\text{-}Bu)(\eta^2\text{-}HCCH)]O_3SCF_3$ and a comparison with the related carbonyl species 625
Kortenkamp, A. The chemistry underlying chromate toxicity 636
Kothari, S. Kinetics and mechanism of the oxidation of DL-methionine by *bis*(2,2′- bipyridyl)copper(II) permanganate 288
Kowalik-Jankowska, T. Copper(II) and oxovanadium(IV) complexes of α-hydroxymethyl-serine 23
Kožíšek, J. X-ray crystallographic and physical investigation of tricyanomethanide and dicyanamide complexes of cobalt(II) with imidazole and its methyl derivatives 276
Kozlowski, H. Copper(II) and oxovanadium(IV) complexes of α-hydroxymethyl-serine 23
Krawinkel, T. Crown thioethers and the kinetic macrocyclic effect. Solvolysis of molybdenum(0) tricarbonyl complexes of cyclic and acyclic trithioethers 583
Kumar, S. Solid state Mössbauer, e.p.r., magnetic properties and thermally induced stereochemical studies on double complex salts of cyclic diamine containing cationic copper(II) complexes and a hexacyanoferrate(III) anion 417
Kundu, P. Solid state Mössbauer, e.p.r., magnetic properties and thermally induced stereochemical studies on double complex salts of cyclic diamine containing cationic copper(II) complexes and a hexacyanoferrate(III) anion 417
Kurzak, K. Reactions of commercial ruthenium chlorides with O-donor ligands. Reactions with water: u.v.-vis. investigation of soluble products; analysis, thermogravimetry and an i.r. study of precipitated solids 330
Kuznik, B. 2,4′-Bipyridyl complexes with cobalt(II) and nickel(II) 203
Lang, J-P. Solid state synthesis of copper(I) thiotungstate cluster compounds at low heating temperatures. Crystal structures of $[(n\text{-}Bu)_4N]_3[WS_4Cu_3Cl_3Br]$ and $[Et_4N]_4[WS_4Cu_4I_6]$ 376
Lanka, D.S.A. Mechanism of oxidation of DL-methionine by iron(III)-2,2′-bipyridyl in perchloric acid–a kinetic study 170
Lawal, H.M. Kinetics and mechanism of the reduction of diaquatetrakis (2,2′-bipyridine)-μ-oxo diruthenium(III) by ascorbic acid 30
Leach, T.A. Kinetic and electrochemical study of nitrile adducts of tetrachloro- *bis*(1,2-*bis*(diphenylphosphine)methanedirhenium(II) 409
Leplawy, M.T. Copper(II) and oxovanadium(IV) complexes of α-hydroxymethyl-serine 23
Lewis, J. Reactions of platinum σ-acetylide complexes with dicobalt octacarbonyl: Conversion of an alkyne unit into cyclopentenone 569
Li, C. Mössbauer spectra of dimethenylbiferrocenediamine compounds 300
Li, G. Synthesis and ^{183}W- and ^{51}V-n.m.r. characterization of the α-$GaW_9V_3O_{40}^{8-}$ heteropolyanion 327
Li, H. Voltammetry and electrocatalytic properties of cobalt (1,4,8,12- tetraazacyclopentadecane) in aqueous solution 552
Li, Z. Synthesis of $RuH_2(CO)(PPh_3)_3$ in a CO_2 and H_2 atmosphere 118
Liao, D. Binuclear complexes of chromium, manganese and rhodium with *N′*-hydroxyethyl-*N,N′,N′*-tribenzimidazolylmethylethylenediamine 273
Liao, D-H. Crystal structure and magnetic behaviour of a trinuclear copper(II) complexes with bridging nitronyl nitroxides 136
Synthesis and magnetic properties of trinuclear copper(II) complexes bridged by dimethylglyoximate groups 72
Liao, D-Z. Novel dioximato-bridged chromium(III)-copper(II)-chromium(III) trinuclear complexes with ferromagnetic exchange interactions 396
Synthesis and magnetic properties of copper(II) *bis*(phenylsulphinyl)ethane complexes 557
Synthesis and magnetic properties of tetrabromophthalato-bridged manganese(II) binuclear complexes 399
Synthesis and magnetism of 2-hydroxy-1,3-propanediyl*bis*(oxamato) bridged trinuclear copper(II) complexes 445
Synthesis and magnetism of tetrachlorophthalato-bridged manganese(II) binuclear complexes 270
Liberta, A.E. Copper(II) complexes of 6-methyl-2-acetylpyridine N(4)-substituted thiosemicarbazones 303
Lin, B. Reactions of platinum δ-acetylide complexes with dicobalt octacarbonyl: Conversion of an alkyne unit into cyclopentenone 569
Liu, J. Synthesis and ^{183}W- and ^{51}V-n.m.r. characterization of the α-$GaW_9V_3O_{40}^{8-}$ heteropolyanion 327
Synthesis and properties of undecatungstozirconates with a transition metal 81
Liying, C. Formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone and its transition metal complexes 511
Lobana, T.S. Dihalodicarbonylruthenium(II)-*bis*(tertiaryphosphine chalcogenide) complexes 501
Lockwood, M.A. Spectral studies of cobalt(III) complexes of heterocyclic 3-azacyclothiosemicarbazones and the structure of the acetylpyrazine 3-azabicyclo[3,2,2]nonylthiosemicarbazone complex 228
Luo, Q-H. A novel monooxygenase model compound: the oxidative demethylation of a macrocyclic bicopper(I) complex 634
Ma, L. Voltammetry and electrocatalytic properties of cobalt (1,4,8,12- tetraazacyclopentadecane) in aqueous solution 552
McArdle, P.A. The reactions of $[Fe_2(\eta\text{-}Cp)_2(CNAr)_4]$ complexes with halogens and tin(II) halides 540
McCleverty, J.A. Cationic β-diketonato molybdenum nitrosyl complexes: redox and structural properties 559
Macías, B. Complexes of nickel and copper with aromatic dithiocarbamates 347
Maciejewska, B. Effect of substituents at silicon on the oxidative addition of trisubstituted silanes to $[RhCl(cod)PPh_3]$ 162
Stereoelectronic effects of substituents at silicon on the hydrosilylation of 1-hexene catalysed by $[RhCl(cod)(1\text{-hexene})]$ 435
Maciejewski, H. Stereoelectronic effects of substituents at silicon on the hydrosilylation of 1-hexene catalysed by $[RhCl(cod)(1\text{-hexene})]$ 435
Maichle, C. Spectral studies of cobalt(III) complexes of heterocyclic 3-azacyclothiosemicarbazones and the structure of the acetylpyrazine 3-azabicyclo[3,2,2]nonylthiosemicarbazone complex 228
Malhotra, K.C. 4-*t*-Butylphenoxo complexes of oxovanadium(V) 388
Malik, K.M.A. Crystal and molecular structure of μ-(dimethylsilanediyl)dimethylene-*bis*(trimethylsilylmethyl)molybdio-*tris*(trimethylphosphine)molybdenum(I)(4 Mo-Mo) 574
Malinowska, A. 2,4′-bipyridyl complexes with cobalt(II) and nickel(II) 203
Manhas, B.S. Oxovanadium(IV), manganese(II) and manganese(III) carbodithioates exhibiting abnormal magnetic behaviour 503
Manning, A.R. The reactions of $[Fe_2(\eta\text{-}Cp)_2(CNAr)_4]$ complexes with halogens and tin(II) halides 540
Marchettini, N. Synthesis and spectroscopic characterization of ternary complexes of copper(II) glycylglycine and substituted phenanthrolines 351
Marciniec, B. Effect of substituents at silicon on the oxidative addition of trisubstituted silanes to $[RhCl(cod)PPh_3]$ 162
Stereoelectronic effects of substituents at silicon on the hydrosilylation of 1-hexene catalysed by $[RhCl(cod)(1\text{-hexene})]$ 435
Marek, J. Reactions of *bis*(isopropylxanthato)nickel(II) with *N*-donor ligands 67
Márquez, V.E. Manganese, cobalt and nickel complexes with a novel 17-membered macrocycle containing an N_5 donor set 239
Martin, C.M. A variable temperature study of $Ru_3(CO)_{12}$ in the solid state and the generation of alternative crystal structures 615
Products from the trimethylamine *N*-oxide activation reaction of $Ru_4(CO)_{12}(\mu_4\text{-}C_6H_8)$ with cyclohexa-1,3-diene 565
The synthesis and structure of the [2,2]paracyclophane cluster $Ru_6C(CO)_{13}(\mu_3\text{-}\eta^2\text{: }\eta^2\text{-}C_{16}H_{16})(PPh_3)$ and a study of the ^{1}H-n.m.r. spectra of [2.2]paracyclophane and benzene clusters 577
Mascarenhas, Y.P. Tin, palladium and platinum derivatives of 1,1′-*bis*(diphenylphosphine)ferrocene. Crystal and molecular structures of 1,1′- *bis*-(diphenylphosphine)ferrocenedichloropalladium(II) and of 1,1′-*bis*(diphenylphosphine)ferro-cenedichloroplatinum(II) 380
Matesanz, A.I. Synthetic and physicochemical studies of divalent metal complexes with cyclic hydrazone and semicarbazone ligands 157
Mathur, P. Distorted pentacoordinate copper(II) complexes containing a tridentate ligand 26
Iron(III) complexes of a tetradentate tripodal ligand *N,N′,N″-tris*(2- benzimidazolyl-methyl)amine 144
Spin state variation in nickel(II) complexes of a redox-active Schiff base 196
Mehrotra, R.N. Kinetics and mechanisms of oxidations by metal ions. Part 17. Oxidation of formate ion by alkaline osmium tetroxide 208
Mendiola, M.A. Synthetic and physicochemical studies of divalent metal complexes with cyclic hydrazone and semicarbazone ligands 157
Miao, M-M. Synthesis and magnetic properties of tetrabromophthalato-bridged manganese(II) binuclear complexes 399
Synthesis and magnetism of 2-hydroxy-1,3-propanediyl*bis*(oxamato) bridged trinuclear copper(II) complexes 445
Synthesis and magnetism of tetrachlorophthalato-bridged manganese(II) binuclear complexes 270
Micera, G. Copper(II) and oxovanadium(IV) complexes of α-hydroxymethyl-serine 23
Min, X. Spectroscopic properties and coordination structure studies on the [Cu(L-Glu)(Im)] complex 115
Mingos, D.M.P. Determination of the Tolman cone angle from crystallographic parameters and a statistical analysis using the Crystallographic Data Base 533
Mitra, S. Solid state Mössbauer, e.p.r., magnetic properties and thermally induced stereochemical studies on double complex salts of cyclic diamine containing cationic copper(II) complexes and a hexacyanoferrate(III) anion 417
Mohanty, P. Kinetics and mechanism of complex formation between beryllium(II) and the 3-nitrosalicylatopentaamminecobalt(III) ion 406
Kinetics and mechanism of the complex formation between oxalatopentaamminecobalt(III) and aluminium(III) and gallium(III); a comparative study 153
Moreno-Carretero, M.N. Silver(I), palladium(II), platinum(II) and platinum(IV) complexes with isoorotate and 2-thioisoorotate ligands: synthesis, i.r. and n.m.r. spectra, thermal behaviour and antimicrobial activity 262

Morgado, J. Synthesis and structural characterization of tricarbonyl *bis*-[Di(*N,N'*-allylamino)carbene]chromium and tungsten(0) complexes 508
Mosny, K.K. Arene ruthenium complexes of the thermally resistant ligand tri-2-pyridylamine 595
Mroziński, J. Tetrathiomolybdates of nickel 56
Müller, T.E. Determination of the Tolman cone angle from crystallographic parameters and a statistical analysis using the Crystallographic Data Base 533
Murali, M. Copper(II)-thiolate complexes with novel tripodal- and tetrapodal-like benzimidazoles 440
Murugesan, R. Cyclic voltammetric and e.s.r. studies of a tetraaza 14-membered macrocyclic copper(II) complex derived from 3-salicylideneacetylacetone and *o*-phenylenediamine: stabilization and activation of unusual oxidation states 76
Muthakia, G.K. Novel chromium(III)/(VI) adducts of XPS-determined mixed valence, from electroreduced chromium(VI) 88
Muthukumaran, B. Molybdenum(VI) catalysis of perborate or hydrogen peroxide oxidation of iodide ion 460
Nahar, S. Trace metal ion catalysis; kinetics and mechanism of oxidation of metol by hydrogen peroxide in the presence of iron(III) sulphate in acid perchlorate 111
Nair, M.S. Mixed-ligand complexes of nickel(II) involving sulphur-containing ligands and diaminocarboxylic acids 132
Natarajan, C. Mixed-ligand complexes of nickel(II) involving sulphur-containing ligands and diaminocarboxylic acids 132
Nazimuddin, M. The preparation and characterization of some new nickel(II), copper(II), zinc(II) and cadmium(II) complexes of the pyrrole-2-carboxaldehyde Schiff bases of *S*-alkyl esters of dithiocarbazic acid 19
Neuse, E.W. Synthesis and X-ray crystal structure of *cis*-dichloro(cyclopentylamine)(dimethyl sulphoxide)platinum(II) 200
Synthesis of the *cis* and *trans* isomers of *tert*-butylaminedichloro- (dimethyl sulphoxide)platinum(II) and X-ray structure analysis of the *cis* compound 62
Nishat, N. Chelating behaviour of new 12-membered Schiff base macrocycles containing pendant groups 13
Nonoyama, M. Cyclopalladation of *N,N,N',N'*-tetramethylisophthalthioamide 528
O'Brien, P. The chemistry underlying chromate toxicity 636
Offiong, O.E. Studies on the stereochemistry of diphenyl diketone monothiosemicarbazone and its transition metal complexes 126
Ooms, C.E. Spectral studies of cobalt(III) complexes of heterocyclic 3-azacyclothiosemicarbazones and the structure of the acetylpyrazine 3-azabicyclo[3,2,2]nonylthiosemicarbazone complex 228
Palaniandavar, M. Copper(II)-thiolate complexes with novel tripodal- and tetra-podal- like benzimidazoles 440
Palit, D. The preparation and characterization of some new nickel(II), copper(II), zinc(II) and cadmium(II) complexes of the pyrrole-2-carboxaldehyde Schiff bases of *S*-alkyl esters of dithiocarbazic acid 19
Pandey, H.N. Iron(III) complexes of a tetradentate tripodal ligand *N,N',N''-tris*(2-benzimidazolyl-methyl)amine 144
Pandey, O.P. Synthesis, physico-chemical and biological studies on oxovanadium(IV) derivatives of mercaptotriazoles 107
Pandey, S.K. Cyclophosphazenerhenium(VII) imides 365
Pandiyan, T. Copper(II)-thiolate complexes with novel tripodal- and tetra-podal- like benzimidazoles 440
Parsons, S. Products from the trimethylamine *N*-oxide activation reaction of $Ru_4(CO)_{12}(\mu_4\text{-}C_6H_8)$ with cyclohexa-1,3-diene 565
Ruthenium complexes of thioether/oxa ionophores: the synthesis and single-crystal X-ray structures 600
Parsons, S.A. Oxo-tricyano complexes of molybdenum(IV) and tungsten(IV) with bidentate Schiff bases 291
Parvataneni, V. Mechanism of oxidation of DL-methionine by iron(III)-2,2'-bipyridyl in perchloric acid - a kinetic study 170
Pastorek, R. Reactions of *bis*(isopropylxanthato)nickel(II) with N-donor ligands 67
Tetrathiomolybdates of nickel 56
Peng, X. Mössbauer spectra of dimethenylbiferrocenediamine compounds 300
Perlepes, S.P. The synthesis, spectroscopic and thermal study of oxamic acid compounds of some metal(II) ions 454
Perlwitz, A.G. Synthesis and X-ray crystal structure of *cis*- dichloro(cyclopentylamine)(dimethyl sulphoxide)platinum(II) 200
Synthesis of the *cis* and *trans* isomers of *tert*-butylaminedichloro- (dimethyl sulphoxide)platinum(II) and x-ray structure analysis of the *cis* compound 62
Pillai, M.S. Mixed-ligand complexes of nickel(II) involving sulphur-containing ligands and diaminocarboxylic acids 132
Pombeiro, A.J.L. Syntheses and properties of the gold(I) complexes with bulky thiolates $[Au(SR)]_6$ and $[Au(SR)(PPh_3)]$ and the molecular structure of $[Au(SC_6H_2Pr^i_3\text{-}2,4,6)(PPh_3)]$ 372
Prakash, A. Kinetics and mechanisms of oxidations by metal ions. Part 17. Oxidation of formate ion by alkaline osmium tetroxide 208
Qi, Y-Q. Synthesis and magnetism of tetrachlorophthalato-bridged manganese(II) binuclear complexes 270
Qingan, W. Formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone and its transition metal complexes 511
Radek, C. Ruthenium complexes of thioether/oxa ionophores: the synthesis and single-crystal X-ray structures 600
Radwanska-Doczekalska, J. 2,4'-Bipyridyl complexes with cobalt(II) and nickel(II) 203
Rai, S.K. Aqueous polymerization of acrylonitrile initiated by manganese(III) pyrophosphate-thiocyanate redox system: a kinetic study 630
Raithby, P.R. Reactions of platinum σ-acetylide complexes with dicobalt octacarbonyl: Conversion of an alkyne unit into cyclopentenone 569
Rajagopal, G. Synthesis and spectral studies of copper(II), nickel(II) and cobalt(II) complexes of 2-hydroxy- ω-4-X-cinnamoyl acetophenones and their pyridine adducts 356
Synthesis and spectral studies of copper(II), nickel(II), cobalt(II) and vanadyl(II) complexes of tridentate Schiff bases of 1,2,3,5,6,7,8,8a-octahydro-3-oxo-*N*,1-diphenyl-5-(phenylmethylene)-2-naphthalenecarboxamide 472
Ramalingam, S.K. Cyclic voltammetric and e.s.r. studies of a tetraaza 14-membered macrocyclic copper(II) complex derived from 3-salicylideneacetylacetone and *o*-phenylenediamine: stabilization and activation of unusual oxidation states 76
Ramesar, N. Synthesis and X-ray crystal structure of *cis*-dichloro(cyclopentylamine)(dimethyl sulphoxide)platinum(II) 200
Synthesis of the *cis* and *trans* isomers of *tert*-butylaminedichloro- (dimethyl sulphoxide)platinum(II) and X-ray structure analysis of the *cis* compound 62
Randzio, S.L. Reactions of commercial ruthenium chlorides with O-donor ligands. Reactions with water: u.v.-vis. investigation of soluble products; analysis, thermogravimetry and an i.r. study of precipitated solids 330
Reddy, M.J. Synthesis and spectral studies of nickel(II), palladium(II) and platinum(II) complexes with tetrahydroquinoline and tetrahydroisoquinoline dithiocarbamato ligands 97
Ren-Gen, X. Synthesis, spectral and magnetic studies on mixed-ligand complexes $M(DIAFO)_2(NCS)_2$ and $M(DIAFH)_2X_2$(M = Fe^{II},Co^{II},Ni^{II}). The crystal structure of $Co(DIAFO)_2(NCS)_2$ 191
Richards, R.L. Crown thioethers and the kinetic macrocyclic effect. Solvolysis of molybdenum(0) tricarbonyl complexes of cyclic and acyclic trithioethers 583
Syntheses and properties of the gold(I) complexes with bulky thiolates $[Au(SR)]_6$ and $[Au(SR)(PPh_3)]$ and the molecular structure of $[Au(SC_6H_2Pr^i_3\text{-}2,4,6)(PPh_3)]$ 372
Richens, D.T. Binuclear metal(II) complexes of a 30-membered hexa-aza macrocyclic ligand 220
Rivas, A. Manganese, cobalt and nickel complexes with a novel 17-membered macrocycle containing an N_5 donor set 239
Romack, T.J. Spectral studies of cobalt(III) complexes of heterocyclic 3-azacyclothiosemicarbazones and the structure of the acetylpyrazine 3-azabicyclo[3,2,2]nonylthiosemicarbazone complex 228
Romero, N. Characterization and electrochemical studies of molybdenum(VI) dioxodialkylbipyridyl complexes. X-ray crystal structure of $MoO_2(o\text{-}MeC_6H_4CH_2)_2$(bipy) 426
Rosales, M. Kinetics and mechanisms of homogeneous catalytic reactions. Part 2. Hydrogenation of cyclohexane catalysed by $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ 242
Kinetics and mechanisms of homogeneous catalytic reactions. Part 3. Regioselective, catalysed $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ reduction of quinoline 246
Rosario Rodriguez-Gallego, M. Complexes of nickel and copper with aromatic dithiocarbamates 347
Rosseinsky, D.R. Novel chromium(III)/(VI) adducts of XPS-determined mixed valence, from electroreduced chromium(VI) 88
Rubio, R. Kinetics and mechanisms of homogeneous catalytic reactions. Part 2. Hydrogenation of cyclohexane catalysed by $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ 242
Kinetics and mechanisms of homogeneous catalytic reactions. Part 3. Regioselective, catalysed $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ reduction of quinoline 246
Russell, D.R. Synthesis of sulphonated aminomethylphosphines and some nickel(II), palladium(II), platinum(II) and rhodium(I) complexes. Crystal structure of $[Et_3NH][(Ph_2PCH_2)_2N(CH_2)_2SO_3]$ 548
Sadler, N.P. Mechanism of the oxidation of L-ascorbic acid by the pentaammineaquacobalt(III) ion in aqueous solution 295
Sahoo, R. Complex formation between nickel(II) and 2-(2-aminoethyl) benzimidazole: a kinetic and equilibrium study 147
Salas-Peregrin, J.M. Silver(I), palladium(II), platinum(II) and platinum(IV) complexes with isoorotate and 2-thioisoorotate ligands: synthesis, i.r. and n.m.r. spectra, thermal behaviour and antimicrobial activity 262
Salberg, M.M. Magnetic and spectroscopic properties of copper(II) complexes with 1- salicoyl-4-phenylthiosemicarbazide 481
Salem, I.A. A kinetic study of the homogeneous oxidation of hydroxylamine by manganese(III)-*bis*(salicylaldimine) complexes 312
Kinetics and mechanism of the homogeneous reaction between some manganese(III)-Schiff base complexes and hydrogen peroxide in aqueous and sodium dodecyl sulphate solutions 494
Samath, S.A. Cyclic voltammetric and e.s.r. studies of a tetraaza 14-membered macrocyclic copper(II) complex derived from 3-salicylideneacetylacetone and *o*-phenylenediamine: stabilization and activation of unusual oxidation states 76
Samotus, A. Oxo-tricyano complexes of molybdenum(IV) and tungsten(IV) with bidentate Schiff bases 291
Photochemical reactions of molybdenum and tungsten octacyanometallates(IV) in acidic aqueous media containing 2,2'- bipyridyl or 1,10-phenanthroline 174
Sánchez-Delgado, R.A. Kinetics and mechanisms of homogeneous catalytic reactions. Part 3. Regioselective, catalysed $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ reduction of quinoline 246
Satsangi, B.K. Kinetics and mechanism of the oxidation of DL-methionine by *bis*(2,2'-bipyridyl)copper(II) permanganate 288
Schröder, M. Ruthenium complexes of thioether/oxa ionophores: the synthesis and single-crystal X-ray structures of $[RuCl_2(PPh_3)2([15]aneS_2O_3]$, $[RuCl(PPh_3O([18]aneS_2O_4O_2]PF_6$, $[RuCl(p\text{-}MeC_6H_4i\text{-}Pr)([15]\text{-}aneS_2O_3]PF_6$ 600
Sengupta, S.K. Synthesis, physico-chemical and biological studies on oxovanadium(IV) derivatives of mercaptotriazoles 107
Serindag, O. Synthesis of sulphonated aminomethylphosphines and some nickel(II), palladium(II), platinum(II) and rhodium(I) complexes. Crystal structure of $[Et_3NH][(Ph_2PCH_2)_2N(CH_2)_2SO_3]$ 548
Sevagapandian, S. Synthesis and spectral studies of copper(II), nickel(II), cobalt(II) and vanadyl(II) complexes of tridentate Schiff bases of 1,2,3,5,6,7,8,8a-octahydro-3-oxo-*N*,1-diphenyl-5-(phenylmethylene)-2-naphthalenecarboxamide 472
Shah, S.A. An MCl_4^{2-} moiety (M = copper, zinc, cadmium and mercury) stabilized by *bis*(ethylenediamine)copper(II) cation 123
Shakir, M. Ethylenediamine complexes of transition metal *bis*(chlorosulphates) 34
Synthesis and characterization of adducts of dichlorosulphato *bis*(1,3-propylenediamine)metal(II) complexes with dialkyltin dichlorides 142
Sharma, I. Trace metal ion catalysis; kinetics and mechanism of oxidation of metol by hydrogen peroxide in the presence of iron(III) sulphate in acid perchlorate 111
Sharma, N. 4-*t*-Butylphenoxo complexes of oxovanadium(V) 388
Sharma, P.D. Trace metal ion catalysis; kinetics and mechanism of oxidation of metol by hydrogen peroxide in the presence of iron(III) sulphate in acid perchlorate 111
Sharma, Y.S. Spin state variation in nickel(II) complexes of a redox-active Schiff base 196
Shehata, A.K. Spectral, magnetic studies and molecular orbital calculations for (4,5-dimethyl-3-pyrazolyl)aldazine copper(II) complexes 448
Shen, C-Y. A novel monooxygenase model compound: the oxidative demethylation of a macrocyclic bicopper(I) complex 634
Shen, M-C. A novel monooxygenase model compound: the oxidative demethylation of a macrocyclic bicopper(I) complex 634
Shen, P. Binuclear complexes of chromium, manganese and rhodium with *N*-hydroxyethyl-*N,N',N'*-tribenzimidazolylmethylethylenediamine 273
Shepherd, R.E. Triethylenetetraminehexa-acetatoferrato(II)cuprate(II), $[Fe^{II}Cu^{II}(ttha)]^{2-}$; oxidation-induced cross-binuclear metal exchange 280
Sherigara, B.S. Aqueous polymerization of acrylonitrile initiated by manganese(III) pyrophosphate-thiocyanate redox system: a kinetic study 630
Shiyan, Y. Transition metal complexes derived from 2-mercaptobenzothiazole 391
Shoukry, M.M. Equilibrium and hydrolysis of α-amino acid esters in mixed-ligand complexes with *N*-(acetamido)-iminodiacetatecopper(II) 252
Siddiqi, K.S. An MCl_4^{2-} moiety (M = copper, zinc, cadmium and mercury) stabilized by *bis*(ethylenediamine)copper(II) cation 123
Chelating behaviour of new 12-membered Schiff base macrocycles containing pendant groups 13
Siddiqi, Z.A. Reactions of $[(Cp)_2Ti(NCS)_2]$ as a potential metalloligand; synthesis and physico-chemical investigations of novel heterobimetallic complexes 469

Šindelář, Z. Reactions of *bis*(isopropylxanthato)nickel(II) with N-donor ligands 67
Tetrathiomolybdates of nickel 56
Singh, B. Bivalent 3d-metal complexes of malonyl- and succinyldihydrazide based macrocyclic ligands. Synthesis and characterization 100
Singh, R. Dihalodicarbonylruthenium(II)-*bis*(tertiaryphosphine chalcogenide) complexes 501
Singh, R.V. Palladium(II) complexes of ketimines 185
Singh, U.R. Bivalent 3d-metal complexes of malonyl- and succinyldihydrazide based macrocyclic ligands. Synthesis and characterization 100
Sinha, S. Ionophoric binding of alkaline earth metal ions (M^{2+}) by *tris*-(arylazo oximato)osmium(II) anions, $[OsA_3]$ 61
Synthesis and characterization of new mononitrosyl complexes of osmium- containing quinoline-8-olates 59
Sitran, S. Palladium(II) and platinum(II) complexes with N-substituted methionines 91
Śliwa, W. Osmium, iridium and platinum pyridine complexes 1
Śliwińska, E. Effect of substituents at silicon on the oxidative addition of trisubstituted silanes to $[RhCl(cod)PPh_3]$ 162
Stereoelectronic effects of substituents at silicon on the hydrosilylation of 1-hexene catalysed by $[RhCl(cod)(1\text{-hexene})]$ 435
Soscún, H. Kinetics and mechanisms of homogeneous catalytic reactions. Part 3. Regioselective, catalysed $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ reduction of quinoline 246
Souza, P. Synthetic and physicochemical studies of divalent metal complexes with cyclic hydrazone and semicarbazone ligands 157
Soye, P.J.A. The reactions of $[Fe_2(\eta\text{-}Cp)_2(CNAr)_4]$ complexes with halogens and tin(II) halides 540
Sun, X-R. Synthesis and magnetism of tetrachlorophthalato-bridged manganese(II) binuclear complexes 270
Szklarzewicz, J. Oxo-tricyano complexes of molybdenum(IV) and tungsten(IV) with bidentate Schiff bases 291
Photochemical reactions of molybdenum and tungsten octacyanometallates(IV) in acidic aqueous media containing 2,2'- bipyridyl or 1,10-phenanthroline 174
Tabassum, S. An MCl_4^{2-} moiety (M = copper, zinc, cadmium and mercury) stabilized by *bis*(ethylenediamine)copper(II) cation 123
Chelating behaviour of new 12-membered Schiff base macrocycles containing pendant groups 13
Takahashi, S. Cyclopalladation of *N,N,N',N'*-tetramethylisophthalthioamide 528
Tedesco, E. A variable temperature study of $Ru_3(CO)_{12}$ in the solid state and the generation of alternative crystal structures 615
Teruel, H. Characterization and electrochemical studies of molybdenum(VI) dioxodialkylbipyridyl complexes. X-ray crystal structure of $MoO_2(o\text{-}MeC_6H_4CH_2)_2(bipy)$ 426
Thambidurai, S. Cyclic voltammetric and e.s.r. studies of a tetraaza 14-membered macrocyclic copper(II complex derived from 3-salicylideneacetylacetone and *o*-phenylenediamine: stabilization and activation of unusual oxidation states 76
Thientanavanich, I. Copper(II) complexes of 6-methyl-2-acetylpyridine N(4)-substituted thiosemicarbazones 303
Tiruveedhula, R.R. Mechanism of oxidation of DL-methionine by iro(III)-2,2'-bipyridyl in perchloric acid–a kinetic study 170
Tong, Y.Y. Syntheses and properties of the gold(I) complexes with bulky thiolates $[Au(SR)]_6$ and $[Au(SR)(PPh_3)]$ and the molecular structure of $[Au(SC_6H_2Pr^i_3\text{-}2,4,6)(PPh_3)]$ 372
Toscano, R.A. Synthesis and structural characterization of tricarbonyl *bis*-[Di(*N,N'*-allylamino)carbene]chromium and tungsten(0) complexes 508
Trávníček, Z. Reactions of *bis*(isopropylxanthato)nickel(II) with N-donor ligands 67
Tyrlik, S.K. Reactions of commercial ruthenium chlorides with O-donor ligands. Reactions with water: u.v.-vis. investigation of soluble products; analysis, thermogravimetry and an i.r. study of precipitated solids 330
Searching for transition metal coordination compounds, which complex carbohydrates in water solution; synthesis, X-ray crystal structure and u.v.-vis. spectra of oxo-bis[bis-acetonitriletrichlororuthenium] 413
Valenzuela-Calahorro, C. Complexes of copper(II) with sugar α-amino acids as ligands 402
Vansant, C. The synthesis, spectroscopic and thermal study of oxamic acid compounds of some metal(II) ions 454
Varkey, S.P. Synthesis and characterization of adducts of dichlorosulphato *bis*(1,3-propylenediamine)metal(II) complexes with dialkyltin dichlorides 142
Vecchio-Sadus, A.M. Electrochemical synthesis and magnetic studies of neutral transition metal imidazolates and pyrazolates 46
Electrochemical synthesis of neutral transition metal(II) (Fe,Co,Ni,Cu, Zn) complexes of pyridine-2-carbaldehyde pyridin-2'-ylhydrazone and several analogues 256
Electrosynthesis and magnetic behaviour of neutral cobalt(II) complexes of pyridine-2-carbaldehyde pyridin-2'-ylhydrazone (papyH) and its analogues 38
Venkata Krishna, K. Kinetics and mechanism of oxidation of some reducing sugars by diperiodatoargentate(III) in alkaline medium 344
Vidal, M.C.F. Dinuclear complexes of cobalt(II) with *N,N'*-substituted dithioxamides derived from α-aminoacids 477
Vierling, F. Spectrophotometric investigation of nickel(II) chloro complexes in alcoholic solutions 369
Villa, M.V. Complexes of nickel and copper with aromatic dithiocarbamates 347
Vishnoi, M. Kinetics and mechanisms of oxidations by metal ions. Part 17. Oxidation of formate ion by alkaline osmium tetroxide 208
Walton, R.A. Reactions of the multiply-bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-}dppm)_2(CNR)$ (X = Cl or Br; R = *t*-Bu or xylyl) with alkynes. Structural characterization of $[Re_2Cl_3(\mu\text{-}dppm)_2(CN\text{-}t\text{-}Bu)(\eta^2\text{-}HCCH)]O_3SCF_3$ and a comparison with the related carbonyl species 625
Wang, C. Synthesis of $RuH_2(CO)(PPh_3)_3$ in a CO_2 and H_2 atmosphere 118
Wang, F. Synthesis and properties of undecatungstozirconates with a transition metal 81
Wang, G. Binuclear complexes of chromium, manganese and rhodium with *N*- hydroxyethyl-*N,N',N'*-tribenzimidazolylmethylethylenediamine 273
Wang, G-L. Crystal structure and magnetic behaviour of a trinuclear copper(II) complexes with bridging nitronyl nitroxides 136
Novel dioximato-bridged chromium(III)-copper(II)-chromium(III) trinuclear complexes with ferromagnetic exchange interactions 396
Synthesis and magnetic properties of tetrabromophthalato-bridged manganese(II) binuclear complexes 399
Synthesis and magnetic properties of trinuclear copper(II) complexes bridged by dimethylglyoximate groups 72
Synthesis and magnetism of 2-hydroxy-1,3-propanediyl*bis*(oxamato) bridged trinuclear copper(II) complexes 445
Synthesis and magnetism of tetrachlorophthalato-bridged manganese(II) binuclear complexes 270
Wang, H. Synthesis of $RuH_2(CO)(PPh_3)_3$ in a CO_2 and H_2 atmosphere 118
Wang, J. Synthesis and ^{183}W- and ^{51}V-n.m.r. characterization of the α- $GaW_9V_3O_{40}^{8-}$ heteropolyanion 327
Wang, R-J. Crystal structure and magnetic behaviour of a trinuclear copper(II) complexes with bridging nitronyl nitroxides 136
Wang, W. Synthesis and properties of undecatungstozirconates with a transition metal 81
Wang, Y. Synthesis and properties of undecatungstozirconates with a transition metal 81
Ward, M.D. Cationic β-diketonato molybdenum nitrosyl complexes: redox and structural properties 559
West, D.A. Molecular structure and spectral properties of bromo(2-acetylpyridine ^4N-methylthiosemicarbazonato)copper(II) 84
West, D.X. Copper(II) complexes of 6-methyl-2-acetylpyridine N(4)-substituted thiosemicarbazones 303
Magnetic and spectroscopic properties of copper(II) complexes with 1-salicoyl-4-phenylthiosemicarbazide 481
Spectral studies of cobalt(III) complexes of heterocyclic 3-azacyclothiosemicarbazones and the structure of the acetylpyrazine 3-azabicyclo[3,2,2]nonylthiosemicarbazone complex 228
Włodarczyk, A. Cationic β-diketonato molybdenum nitrosyl complexes: redox and structural properties 559
Włodarczyk, Anna Cationic β-diketonato molybdenum nitrosyl complexes: redox and structural properties 559
Wolf, W.R. Potentiometric and spectroscopic study of selenomethionine complexes with copper(II) and zinc(II) ions 225
Wu, H-y. Mössbauer spectra of dimethenylbiferrocenediamine compounds 300
Wu, L. Voltammetry and electrocatalytic properties of cobalt (1,4,8,12- tetraazacyclopentadecane) in aqueous solution 552
Wu, W. Reactions of the multiply-bonded dirhenium(II) complexes $Re_2X_4(\mu\text{-}dppm)_2(CNR)$ (X = Cl or Br; R = *t*-Bu or xylyl) with alkynes. Structural characterization of $[Re_2Cl_3(\mu\text{-}dppm)_2(CN\text{-}t\text{-}Bu)(\eta^2\text{-}HCCH)]O_3SCF_3$ and a comparison with the related carbonyl species 625
Wyllie, G. Binuclear metal(II) complexes of a 30-membered hexa-aza macrocyclic ligand 220
Xiao-Hui, S. Synthesis, spectral and magnetic studies on mixed-ligand complexes $M(DIAFO)_2(NCS)_2$ and $M(DIAFH)_2X_2$(M = Fe^{II},Co^{II},Ni^{II}). The crystal structure of $Co(DIAFO)_2(NCS)_2$ 191
Xiao-Zeng, Y. Synthesis, spectral and magnetic studies on mixed-ligand complexes $M(DIAFO)_2(NCS)_2$ and $M(DIAFH)_2X_2$(M = Fe^{II},Co^{II},Ni^{II}). The crystal structure of $Co(DIAFO)_2(NCS)_2$ 191
Xin, X-Q. Solid state synthesis of copper(I) thiotungstate cluster compounds at low heating temperatures. Crystal structures of $[(n\text{-}Bu)_4N]_3[WS_4Cu_3Cl_3Br]$ and $[Et_4N]_4[WS_4Cu_4I_6]$ 376
Yadav, S. Synthesis, physico-chemical and biological studies on oxovanadium(IV) derivatives of mercaptotriazoles 107
Yan, S. Binuclear complexes of chromium, manganese and rhodium with *N*- hydroxyethyl-*N,N',N'*-tribenzimidazolylmethylethylenediamine 273
Yan, S-P. Crystal structure and magnetic behaviour of a trinuclear copper(II) complexes with bridging nitronyl nitroxides 136
Synthesis and magnetic properties of trinuclear copper(II) complexes bridged by dimethylglyoximate groups 72
Yang, J-C. Synthesis and magnetic properties of copper(II) *bis*(phenylsulphinyl)ethane complexes 557
Yang, L. Binuclear complexes of chromium, manganese and rhodium with *N*- hydroxyethyl-*N,N',N'*-tribenzimidazolylmethylethylenediamine 273
Yang, P. Double-sphere coordination point-charge field model and some relevant problems 485
Yang, Q. Synthesis and properties of undecatungstozirconates with a transition metal 81
Yang, Y.H. Magnetic and spectroscopic properties of copper(II) complexes with 1- salicoyl-4-phenylthiosemicarbazide 481
Yanhong, L. Formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone and its transition metal complexes 511
Yao, X-K. Crystal structure and magnetic behaviour of a trinuclear copper(II) complexes with bridging nitronyl nitroxides 136
Yi, Q. Crystal structure and magnetic behaviour of a trinuclear copper(II) complexes with bridging nitronyl nitroxides 136
You, X-z. Mössbauer spectra of dimethenylbiferrocenediamine compounds 300
Yugeng, Z. Spectroscopic properties and coordination structure studies on the [Cu(L-Glu)(Im)] complex 115
Yunyin, N. Formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone and its transition metal complexes 511
Zaidi, S.A.A. Chelating behaviour of new 12-membered Schiff base macrocycles containing pendant groups 13
Zainal, H.A. Potentiometric and spectroscopic study of selenomethionine complexes with copper(II) and zinc(II) ions 225
Zamudio, W. Formation constants and oxidation of *bis*(1,10-phenanthroline)copper(I) perchlorate and *bis*(2,2'-bipyridine)copper(I) perchlorate by molecular oxygen in formamide 518
Zhan, X. Synthesis and ^{183}W- and ^{51}V-n.m.r. characterization of the α-$GaW_9V_3O_{40}^{8-}$ heteropolyanion 327
Zhang, B. Voltammetry and electrocatalytic properties of cobalt (1,4,8,12-tetraazacyclopentadecane) in aqueous solution 552
Zhang, J. Synthesis of $RuH_2(CO)(PPh_3)_3$ in a CO_2 and H_2 atmosphere 118
Zhang, R-H. Synthesis and magnetic properties of copper(II) *bis*(phenylsulphinyl)ethane complexes 557
Zhang, S. Triethylenetetramine-hexaacetatoferrato(II)cuprate(II), $[Fe^{II}Cu^{II}(ttha)]^{2-}$; oxidation-induced cross-binuclear metal exchange 280
Zhang, S-W. Novel dioximato-bridged chromium(III)-copper(II)-chromium(III) trinuclear complexes with ferromagnetic exchange interactions 396
Synthesis and magnetic properties of trinuclear copper(II) complexes bridged by dimethylglyoximate groups 72
Zhanhua, C. Formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone and its transition metal complexes 511
Zhao, C-y. Mössbauer spectra of dimethenylbiferrocenediamine compounds 300
Zhu, X. Synthesis and properties of undecatungstozirconates with a transition metal 81
Zoroddu, M.A. Synthesis and spectroscopic characterization of ternary complexes of copper(II) glycylglycine and substituted phenanthrolines 351

Keyword index

Acetamidoiminodiacetic acid (ADA)
  copper complexes 252
Acetylide
  platinum complexes 569
Acetylpyrazine 3-
    azabicyclo[3.2.2]nonylthiosemicarbazone
  cobalt complex 228
Acid
  perchlorate, metol oxidation 111
Acrylonitrile
  manganese pyrophosphate-thiocyanate redox
    polymerization 630
Adducts
  dichlorosulphato *bis*(1,3-propylenediamine)metal
    complexes with dialkyltin dichlorides 142
  tetrachloro-(diphenylphosphine)methane)-
    dirhenium 409
  XPS-determined mixed valence chromium 88
Alkaline earths
  ionophoric binding 361
Alkynes
  dirhenium complex reactions 625
Aluminium
  oxalatopentaamminecobalt complexes 153
Amino acid
  dithioxamides derived from 477
  ester equilibrium and hydrolysis 252
  sugar copper complexes 402
Aminoethyl benzimidazole
  nickel complexes 147
Aminomethylphosphines
  sulphonated 548
Aminopyrazine
  carboxylate manganese complexes 179
Antimicrobial properties
  isoorotic palladium, platinum, silver complexes 262
  thioisoorotic palladium, platinum, silver
    complexes 262
Arabinose
  oxidation by diperiodatoargentate 344
Arene
  ruthenium complexes 595
Arylhydrazones
  cobalt complexes 309
  copper complexes 309
  nickel complexes 309
Ascorbic acid
  diaquatetrakis (2,2′-bipyridine)-μ-oxo diruthenium
    reduction 30
  oxidation by pentaammineaquacobalt 295
Azacyclothiosemicarbazones
  cobalt complexes 228
Benzene
  NMR spectra of clusters 577
Benzilic esters
  complexes of cadmium, cobalt, copper, nickel 423
Benzimidazoles
  copper-thiolate complexes 440
Beryllium
  nitrosalicylatopentaamminecobalt complex 406
Biological properties
  oxovanadium mercaptotriazole complexes 107
Bipyridyl
  complexes with cobalt and nickel 203
  photochemical reactions in acidic aqueous
    media 174
Bis(cyclopentadienyl)titanium diisothiocyanate
  potential metalloligand 469
Bromo(2-acetylpyridine ^4N-
    methylthiosemi-carbazonato)copper 84
Bromosuccinimide
  oxidation of *tris*(ethylenediamine)-chromium 430
Butylaminedichloro(dimethyl sulphoxide)platinum
  cis and *trans* isomers 62
  X-ray structure analysis 62
Butylphenoxo
  oxovanadium complexes 388
Cadmium
  benzilic ester complexes 423
  bis(ethylenediamine)copper cation stabilized 123
  cyclic hydrazone and semicarbazone complexes 157
  diphenyl diketone monothiosemicarbazone (DKTS)
    complexes 126
  mandelic ester complexes 423
  pyrrole-2-carboxaldehyde Schiff bases 19
Carbenes
  tricarbonyl *bis*-[Di(*N*,*N*′′-allylamino)carbene]
    complexes 508
Carbodithioate
  complexes of oxovanadium and manganese 503
Carbohydrate
  transition metal coordination complexes 413
Carbon dioxide
  $RuH_2(CO)(PPh_3)_3$ synthesis 118
Catalysis
  $[Cu(NH_3)_4]^{2+}$ sorbed on zirconium phosphate and
    zirconium phenylphosphonate 166
  cyclohexane catalysed by [RuH(CO)-
    $(NCMe)_2(PPh_3)_2]BF_4$ 242
  formate reactions 321
  molybdenum catalysis of perborate 460
  regioselective catalysed
    $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ reduction of
    quinoline 246
  trace metal ion 111
Chalcogenides
  dihalodicarbonylruthenium-*bis*(tertiaryphosphine
    chalcogenide), complexes 501
Chloride
  noble metal catalytic reactions of formate 321
  ruthenium reactions with O-donor ligands 330
Chloro
  nickel complexes 369
Chromate
  toxicity 636
Chromium
  adducts of XPS-determined mixed valence 88
  $[Cr(CO)_4(Ph_2P)_2C=C_6H_4=C(R)O_2CR\text{-}P,P]$
    complexes 120
  dichlorosulphato *bis*(1,3-propylenediamine)
    complexes with dialkyltin dichlorides 142
  dioximato-bridged trinuclear complexes 396
  N-hydroxyethyl-*N*,*N*′,*N*′-
    tribenzimidazolylmethylethylenediamine
    complexes 273
  oxidation of *tris*(ethylenediamine)-chromium by *N*-
    bromosuccinimide 430
  tricarbonyl *bis*-[Di(*N*,*N*′′-allylamino)carbene]
    complexes 508
Cobalt
  arylhydrazone complexes 309
  benzilic ester complexes 423
  bipyridyl complexes 203
  $Co(DIAFO)_2(NCS)_2$ and $Co(DIAFH)_2X_2$ mixed-
    ligand complexes 191
  $Co(DIAFO)_2(NCS)_2$ crystal structure 191
  cyclic hydrazone and semicarbazone complexes 157
  dichlorosulphato *bis*(1,3-propylenediamine)
    complexes with dialkyltin dichlorides 142
  dicyanamide complexes 276
  dioximes 234
  diphenyl diketone monothiosemicarbazone (DKTS)
    complexes 126
  dithioxamide dinuclear complexes 477
  ethylenediamine *bis*(chlorosulphate) complexes 34
  hydroxycinnamoyl acetophenones complexes 356
  imidazolates 46
  imidazole complexes 276
  interaction with iminodiacetato(pentaammine/
    tetraammine)cobalt 463
  macrocycle complexes 239
  mandelic ester complexes 423
  mercaptobenzothiazole complexes 391
  nitrosalicylatopentaamminecobalt perchlorate 406
  oxalatopentaamminecobalt complexes 153
  pyrazolates 46
  pyridine-2-carbaldehyde pyridin-2′-ylhydrazone
    (papyH) complexes 38
  pyridine complexes 256
  Schiff-base complexes 472
  tetraazacyclopentadecane 552
  thiosemicarbazone complexes 228
  tricyanomethanide complexes 276
  tris-oxalactocobaltate complex 316
Conductometric properties
  nickel 1-phenyl-4,6-dimethylpyrimidine-2-thione
    complexes 212
Coordination
  double-sphere point-charge field model 485
  transition metal compounds 413
Copper
  N-(acetamido)-iminodiacetic acid (ADA)
    complexes 252
  arylhydrazone complexes 309
  benzilic ester complexes 423
  binuclear 30-membered hexa-aza macrocyclic ligand
    complexes 220
  bipyridine-copper perchlorate oxidation 518
  bipyridyl-copper permanganate 288
  complexation equilibria with nitrophenyl azo-
    phenyloxazolin-one 384
  [Cu(L-Glu)(Im)] complex 115
  cyclic hydrazone and semicarbazone complexes 157
  dichlorosulphato *bis*(1,3-propylenediamine)
    complexes with dialkyltin dichlorides 142
  (4,5-dimethyl-3-pyrazolyl)aldazine complexes 448
  dioximato-bridged trinuclear complexes 396
  diphenyl diketone monothiosemicarbazone (DKTS)
    complexes 126
  distorted pentacoordinate complexes containing
    tridentate ligand 26
  dithiocarbamate complexes 347
  double complex salts of cyclic diamine
    complexes 417
  ethylenediamine *bis*(chlorosulphate) complexes 34
  ethylenediamine copper cation stabilized 123
  glycylglycine complexes 351
  hydroxycinnamoyl acetophenones complexes 356
  α-hydroxymethyl-serine complexes 23
  2-hydroxy-1,3-propanediyl*bis*-(oxamato) bridged
    trinuclear complexes 445
  imidazolates 46
  macrocyclic bicopper complex 634
  macrocyclic complex 76
  mandelic ester complexes 423
  mercaptobenzothiazole complexes 391
  phenanthroline complexes 351
  phenanthroline-copper perchlorate oxidation 518
  phenylhydrazoacetylacetone isonicotinoyl hydrazone
    complexes 104
  (phenylsulphinyl)ethane complexes 557
  pyrazolates 46
  pyridine complexes 256
  pyrrole-2-carboxaldehyde Schiff bases 19
  1-salicoyl-4-phenylthiosemicarbazide complexes 481
  Schiff-base complexes 472
  selenomethionine complexes 225
  sugar α-amino acid complexes 402
  thiolate complexes 440
  thiosemicarbazonato complex 84
  thiosemicarbazone complexes 303
  thiotungstate clusters 376
  triethylenetetraminehexaacetatoferrato cuprate 280
  trinuclear complexes with bridging nitronyl
    nitroxides 136
  trinuclear copper complexes bridged by
    dimethylglyoximate groups 72
Crystal structure
  carbene complexes of chromium and tungsten 508
  cationic β-diketonato molybdenum complexes 559
  cobalt imidazole complexes 276
  $Co(DIAFO)_2(NCS)_2$ 191
  copper thiotungstate clusters 376
  dichlorocyclopentylamine(dimethyl sulphoxide)-
    platinum 200
  (dimethylsilanediyl)dimethylene-
    (trimethylsilylmethyl)molybdio-
    tris(trimethylphosphine)molybdenum 574
  bis(diphenylphosphine)ferrocene derivatives 380
  dodecacarbonyltriruthenium 615
  $[Et_3NH][(Ph_2PCH_2)_2N(CH_2)_2SO_3]$ 548
  gold thiolate complexes 372
  molybdenum dioxodialkylbipyridyl complexes 426
  oxo-acetonitriletrichlororuthenium 413
  trans-*bis*-methylpyridine *bis*(8-quinolinolato-N^1,
    O^8)monohydrate 498
  trinuclear copper complexes with bridging nitronyl
    nitroxides 136
Crystallography
  Tolman cone angle 533
Cyclohexane
  hydrogenation 242
Cyclopalladation
  1-(phenylazo)-2-hydroxynaphthalene 415
  tetramethylisophthalthioamide 528
Cyclophosphazenerhenium
  imides 365
Demethylation
  macrocyclic bicopper complex 634
Deoxy-D-glucose
  oxidation by diperiodatoargentate 344
Dialkyltin dichlorides
  interaction of 1,3-propylenediamine complexes of
    bis(chlorosulphates)
    with 142
Diamine
  double complex salts of cyclic diamine containing
    copper complexes 417
Diaminocarboxylic acid
  nickel mixed-ligand complexes 132
Diaquatetrakis (2,2′-bipyridine)-μ-oxo diruthenium
  reduction by ascorbic acid 30
Dichloro(cyclopentylamine)(dimethyl sulphoxide)
    platinum
  synthesis and X-ray crystal structure 200
Dicyanamide
  cobalt complexes 276
Dimethenylbiferrocenediamine
  Mössbauer spectra 300
Dimethylglyoximate
  bridged trinuclear copper complexes 72
Dimethyl-pyrazolyl aldazine
  copper complexes 448
Dimethylsulphoxide
  manganese 3-aminopyrazine-2-carboxylate complex
    redox chemistry 179
Dioximato
  bridged trinuclear complexes with ferromagnetic
    exchange reactions 396
Dioximes
  cobalt, nickel, palladium, platinum 234
Dioxodialkylbipyridyl
  molybdenum complexes 426

Diperiodatoargentate
  sugars oxidation 344
Diphenyl diketone monothiosemicarbazone (DKTS)
  transition metal complexes 126
(Diphenylphosphine)ferrocene
  palladium derivatives 380
  platinum derivatives 380
  tin derivatives 380
(Diphenylphosphino)ethane
  metal complexes 523
Dithiocarbamates
  copper complexes 347
  nickel complexes 347
Dithiocarbazic acid
  Schiff bases of *S*-alkyl esters 19
Dithioxamide
  dinuclear cobalt complexes 477
DNA
  chromate toxicity 636
Dodecacarbonyltriruthenium
  crystal structure 615
Electrocatalysis
  cobalt tetraazacyclopentadecane 552
Electrochemistry
  cationic β-diketonato molybdenum complexes 559
  cobalt tetraazacyclopentadecane 552
  copper-thiolate complexes 440
  nickel 1-phenyl-4,6-dimethylpyrimidine-2-thione complexes 212
  Schiff-base complexes of copper, nickel, cobalt, vanadyl 472
  tetrachloro-*bis*(1,2-*bis*(diphenylphosphine)methane)dirhenium adducts 409
  transition metal imidazolates and pyrazolates 46
  transition metal pyridine complexes 256
Electronic spectra
  oxoruthenates 590
Electrosynthesis
  pyridine-2-carbaldehyde pyridin-2′-ylhydrazone (papyH) cobalt complexes 38
EPR
  copper-thiolate complexes 440
  double complex salts of cyclic diamine containing copper complexes 417
  Schiff-base complexes of copper, nickel, cobalt, vanadyl 472
Equilibrium
  aminoacid esters 252
ESR
  cobalt hydroxycinnamoyl acetophenones complexes 356
  copper hydroxycinnamoyl acetophenones complexes 356
  macrocyclic copper complex 76
  nickel hydroxycinnamoyl acetophenones complexes 356
Ethylenediamine
  copper cation 123
  transition metal *bis*(chlorosulphate) complexes 34
Ethylenediamine-chromium
  oxidation by *N*-bromosuccinimide 430
Ferrocene
  Mössbauer spectra 300
Ferromagnetism
  dioximato-bridged trinuclear complexes with exchange interactions 396
Formamide
  bipyridine-copper perchlorate oxidation 518
  phenanthroline-copper perchlorate oxidation 518
Formate
  catalysed reactions 321
Formic acid
  noble metal chloride precursors 321
Formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone
  transition metal complexes 511
Fructose
  oxidation by diperiodatoargentate 344
Galactose
  oxidation by diperiodatoargentate 344
Gallium
  $GaW_9V_3O_{40}^{8-}$ heteropolyanion 327
  oxalatopentaamminecobalt complexes 153
Glucose
  oxidation by diperiodatoargentate 344
Glycylglycine
  copper complexes 351
Gold
  tetrachloroaurate oxidation of thallium 367
  thiolate complexes 372
Halides
  $[Fe_2(\eta\text{-}Cp)_2(CNAr)_4]$ reactions 540
Halogens
  $[Fe_2(\eta\text{-}Cp)_2(CNAr)_4]$ reactions 540
Heteropolyanion
  $GaW_9V_3O_{40}^{8-}$ 327
Hexa-aza macrocyclic ligand
  metal complexes 220
Hydrazone
  iron complexes 338
  transition metal complexes 157
Hydrogen
  $RuH_2(CO)(PPh_3)_3$ synthesis 118
Hydrogen peroxide
  manganese-Schiff base complex reactions 494
  metol oxidation 111
  oxidation of iodide ion 460
Hydrogenation
  cyclohexane catalysed by $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ 242
Hydrolysis
  aminoacid esters 252
Hydroxycinnamoyl acetophenones
  cobalt, copper, nickel complexes 356
Hydroxyethyl-tribenzimidazolylmethylethylenediamine
  binuclear complexes of chromium, manganese and rhodium 273
Hydroxylamine
  oxidation kinetics 312
Hydroxypropanediyl*bis*-(oxamato)
  bridged trinuclear copper complexes 445
Imidazolates
  transition metal 46
Imidazole
  cobalt complexes 276
Imides
  cyclophosphazenerhenium 365
Iminodiacetato(tetraammine)cobalt
  interaction of transition metal ions 463
Iodide
  hydrogen peroxide oxidation 460
IR 262
  cobalt dithioxamide complexes 477
  cobalt hydroxycinnamoyl acetophenones complexes 356
  copper hydroxycinnamoyl acetophenones complexes 356
  formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone transition metal complexes 511
  iron hydrazone complexes 338
  nickel hydroxycinnamoyl acetophenones complexes 356
  ruthenium chloride-water products of reaction 330
  Schiff-base complexes of copper, nickel, cobalt, vanadyl 472
  transition metal mercaptobenzothiazole complexes 391
Iridium
  diphenyl diketone monothiosemicarbazone (DKTS) complexes 126
  formate catalytic reactions 321
  pyridine complexes 1
Iron
  dichlorosulphato *bis*(1,3-propylenediamine) complexes with dialkyltin dichlorides 142
  ethylenediamine *bis*(chlorosulphate) complexes 34
  $[Fe_2(\eta\text{-}Cp)_2(CNAr)_4]$, reactions with halogens and tin halides 540
  methionine oxidation by iron-bipyridyl complex in $HClO_4$ 170
  mixed-ligand complexes of $Fe(DIAFO)_2(NCS)_2$ and $Fe(DIAFH)_2X_2$ 191
  oxidation of metol in presence of trace levels 111
  pyridine complexes 256
  pyridoxal isonicotinoyl hydrazone complexes 338
  salicylaldehyde benzoyl hydrazone complexes 338
  tetradentate tripodal ligand (benzimidazolyl-methyl)amine complexes 144
  triethylenetetraminehexaacetatoferrato cuprate 280
Isonicotinic acid
  hydrazide and hydrazone copper complexes 104
Isoorotic
  palladium, platinum, silver complexes 262
Isopropylxanthate
  nickel complexes with N-donor ligands 67
Ketimine
  palladium complexes 185
Kinetics
  aminoethyl benzimidazole nickel complexes 147
  beryllium 3-nitrosalicylatopentaamminecobalt complex 406
  cyclohexane catalysed by $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ 242
  formate ion oxidation by alkaline osmium tetroxide 208
  manganese-Schiff base complex reactions 494
  methionine oxidation by iron-bipyridyl complex in $HClO_4$ 170
  metol oxidation 111
  oxalatopentaamminecobalt complexes 153
  oxidation of (ethylenediamine)-chromium by bromosuccinimide 430
  oxidation of hydroxylamine 312
  regioselective catalysed $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ reduction of quinoline 246
  reversible complexation 463
  tetrachloro-(diphenylphosphine)methane dirhenium adducts 409
  tris-oxalactocobaltate complex thermal decomposition 316
Macrocycle
  bicopper complex 634
  cobalt complexes 239
  crown thioethers 583
  hexa-aza ligand metal complexes 220
  malonyldihydrazide ligand complexes 100
  manganese complexes 239
  nickel complexes 239
  phenylenediamine copper complex 76
  salicylideneacetylacetone copper complex 76
  Schiff base, containing pendant groups 13
  succinyldihydrazide ligand complexes 100
Macrocyclization
  dioximes of nickel, palladium, platinum, cobalt 234
Magnetic properties
  carbodithioate complexes of oxovanadium and manganese 503
  cobalt dithioxamide complexes 477
  cobalt hydroxycinnamoyl acetophenones complexes 356
  copper *bis*(phenylsulphinyl)ethane complexes 557
  copper hydroxycinnamoyl acetophenones complexes 356
  copper-SPT complexes 481
  (4,5-dimethyl-3-pyrazolyl)aldazine copper complexes 448
  double complex salts of cyclic diamine containing copper complexes 417
  manganese tetrabromophthalato-bridged binuclear complexes 399
  nickel 1-phenyl-4,6-dimethylpyrimidine-2-thione complexes 212
  nickel hydroxycinnamoyl acetophenones complexes 356
  nickel redox-active Schiff base complexes 196
  pyridine-2-carbaldehyde pyridin-2′-ylhydrazone (papyH) cobalt complexes 38
  Schiff-base complexes of copper, nickel, cobalt, vanadyl 472
  tetrachlorophthalato bridged manganese binuclear complexes 270
  transition metal imidazolates and pyrazolates 46
  transition metal mercaptobenzothiazole complexes 391
  trinuclear copper complexes bridged by dimethylglyoximate groups 72
  trinuclear copper complexes with bridging nitronyl nitroxides 136
Malonyldihydrazide
  macrocyclic ligand complexes 100
Mandelic esters
  complexes of cadmium, cobalt, copper, nickel 423
Manganese
  bis(salicylaldimine) complexes 312
  carbodithioate complexes 503
  ethylenediamine *bis*(chlorosulphate) complexes 34
  hydroxyethyl-tribenzimidazolylmethylethylenediamine complexes 273
  macrocycle complexes 239
  mercaptobenzothiazole complexes 391
  pyrophosphate-thiocyanate redox acrylonitrile polymerization 630
  Schiff base complexes and hydrogen peroxide reactions 494
  tetrabromophthalato-bridged binuclear complexes 399
  tetrachlorophthalato-bridged binuclear complexes 270
Mercaptobenzothiazole
  transition metal complexes 391
Mercaptotriazoles
  oxovanadium complexes 107
Mercury
  bis(ethylenediamine)copper cation stabilized 123
  cyclic hydrazone and semicarbazone complexes 157
  (diphenylphosphino)ethane complexes 523
Metal
  oxidation-induced cross-binuclear exchange 280
Metaloxylation
  1-(phenylazo)-2-hydroxynaphthalene 415
Methionine
  N-substituted palladium and platinum complexes 91
  oxidation by BBCP 288
  oxidation by iron-bipyridyl in perchloric acid 170
Molecular structure
  bromo(2-acetylpyridine ^4N-methylthiosemicarbazonato)copper 84
  dimethyl-pyrazolyl aldazine copper complexes 448
  (dimethylsilanediyl)dimethylene-(trimethylsilylmethyl)molybdio-(trimethylphosphine)molybdenum 574
  bis(diphenylphosphine)ferrocene derivatives 380
  dodecacarbonyltriruthenium 615
  gold thiolate complexes 372
Molybdenum
  catalysis of perborate 460
  cationic β-diketonato nitrosyl complexes 559
  (dimethylsilanediyl)dimethylene-(trimethylsilylmethyl)molybdio-(trimethylphosphine)molybdenum 574
  dioxodialkylbipyridyl complexes 426
  octacyanometallate reactions in acidic aqueous media containing bipyridyl or phenanthroline 174
  oxo-tricyano complexes with bidentate Schiff bases 291
  solvolysis of tricarbonyl complexes 583
Monopicolinate
  ruthenium complexes 138
Mössbauer spectra
  dimethenylbiferrocenediamine 300
  double complex salts of cyclic diamine containing copper complexes 417
Nickel
  aminoethyl benzimidazole complexes 147
  aminomethylphosphine complexes 548
  arylhydrazone complexes 309
  benzilic ester complexes 423
  binuclear 30-membered hexa-aza macrocyclic ligand complexes 220
  bipyridyl complexes 203
  chloro complexes 369
  cyclic hydrazone and semicarbazone complexes 157
  dichlorosulphato *bis*(1,3-propylenediamine) complexes with dialkyltin dichlorides 142
  dioximes 234
  diphenyl diketone monothiosemicarbazone (DKTS) complexes 126
  dithiocarbamate complexes 347
  ethylenediamine *bis*(chlorosulphate) complexes 34
  hydroxycinnamoyl acetophenones complexes 356
  imidazolates 46
  interaction with iminodiacetato(pentaammine/tetraammine)cobalt 463

isopropylxanthate complexes with N-donor ligands 67
macrocycle complexes 239
mandelic ester complexes 423
mercaptobenzothiazole complexes 391
mixed-ligand complexes of $Ni(DIAFO)_2(NCS)_2$ and $Ni(DIAFH)_2X_2$ 191
mixed-ligand sulphur-containing and diaminocarboxylic acid complexes 132
phenyl-dimethylpyrimidine-thione complexes 212
pyrazolates 46
pyridine complexes 256
pyrrole-2-carboxaldehyde Schiff bases 19
redox-active tetradentate Schiff base ligand complexes 196
Schiff-base complexes 472
spin state variation in complexes 196
tetrahydroquinoline dithiocarbamate and tetrahydroisoquinoline dithiocarbamat complexes 97
tetrathiomolybdates 56
trans-*bis*-methylpyridine *bis*(8-quinolinolato-N^1, O^8)monohydrate 498
Nitrido
transition metal complexes 590
Nitrile
tetrachloro-(diphenylphosphine)methane dirhenium adducts 409
Nitronyl nitroxides
trinuclear copper complexes 136
Nitrophenyl azo-phenyloxazolin-one
copper complexation equilibria 384
Nitrosylosmium
osmium-containing quinoline-8-olates complexes 59
NMR 262
benzene cluster 577
cobalt hydroxycinnamoyl acetophenones complexes 356
copper hydroxycinnamoyl acetophenones complexes 356
copper-SPT complexes 481
formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone transition metal complexes 511
$GaW_9V_3O_{40}^{8-}$ heteropolyanion 327
nickel hydroxycinnamoyl acetophenones complexes 356
paracyclophane cluster 577
Octacyanometallates
molybdenum photochemical reactions 174
tungsten photochemical reactions 174
Osmium
arylazo oximato osmium anions 361
formate ion oxidation by alkaline osmium tetroxide 208
mononitrosyl quinoline-8-olates complexes 59
pyridine complexes 1
Oxalactocobaltate
thermal decomposition 316
Oxalatopentaammineco balt
aluminium complexes 153
gallium complexes 153
Oxamic acid
metal ion complexes 454
Oxidation
ascorbic acid by pentaammineaquacobalt 295
bipyridine-copper perchlorate 518
formate ion by alkaline osmium tetroxide 208
hydroxylamine kinetics 312
induced cross-binuclear metal exchange 280
iodide in 460
methionine by BBCP 288
methionine by iron-bipyridyl complex in $HClO_4$ 170
metol kinetics 111
phenanthroline-copper perchlorate 518
sugars by diperiodatoargentate in alkaline medium 344
tetrachloroaurate oxidation of thallium 367
tris(ethylenediamine)-chromium by *N*-bromosuccinimide 430
Oxo
transition metal complexes 590
Oxo-acetonitriletrichlororuthenium
spectral properties 413
Oxo-tricyano
molybdenum and tungsten complexes with Schiff bases 291
Oxovanadium
butylphenoxo complexes 388
carbodithioate complexes 503
hydroxymethyl-serine complexes 23
Oxygen
donor ligands 330
Palladium
aminomethylphosphine complexes 548
dioximes 234
diphenyl diketone monothiosemicarbazone (DKTS) complexes 126
diphenylphosphine ferrocene derivatives 380
(diphenylphosphino)ethane complexes 523
formate catalytic reactions 321
isoorotate complexes 262
ketimine complexes 185
N-substituted methionine complexes 91
tetrahydroquinoline dithiocarbamate and tetrahydroisoquinoline dithiocarbamate complexes 97
tetramethylisophthalthioamide cyclopalladation 528
thioisoorotate complexes 262
Paracyclophane
NMR spectra of clusters 577
ruthenium cluster 577
Pentaammineaquacobalt
ascorbic acid oxidation 295
Perborate
molybdenum catalysis 460
Perchloric acid
methionine oxidation by iron-bipyridyl complex in $HClO_4$ 170
Permanganate
(bipyridyl)copper 288
Phenanthroline
photochemical reactions in acidic aqueous media 174
Phenanthrolines
copper complexes 351
Phenylazo-hydroxynaphthalene
cyclopalladation 415
metaloxylation 415
Phenyl-dimethylpyrimidine-2-thione
nickel complexes 212
Phenylenediamine
macrocyclic copper complex 76
Phenylhydrazoacetylacetone isonicotinoyl hydrazone
copper complexes 104
Photochemistry
octacyanometallate reactions in acidic aqueous media containing bipyridyl or phenanthroline 174
Physico-chemical properties
hydrazone transition metal complexes 157
oxovanadium mercaptotriazole complexes 107
semicarbazone transition metal complexes 157
Platinum
acetylide complexes with $Co_2(CO)_8$ 569
aminomethylphosphine complexes 548
dichloro*bis*(dimethyl sulphoxide)platinum 62
dichlorocyclopentylamine(dimethyl sulphoxide)-platinum 200
dioximes 234
diphenyl diketone monothiosemicarbazone (DKTS) complexes 126
diphenylphosphine ferrocene derivatives 380
(diphenylphosphino)ethane complexes 523
isoorotate complexes 262
N-substituted methionine complexes 91
pyridine complexes 1
tetrahydroquinoline dithiocarbamate and tetrahydroisoquinoline dithiocarbamato complexes 97
thioisoorotate complexes 262
Polymerization
acrylonitrile initiated by Mn-KNCS redox system 630
Pyrazolates
transition metal 46
Pyridine
iridium complexes 1
osmium complexes 1
platinum complexes 1
transition metal complexes 256
Pyridine-2-carbaldehyde pyridin-2′-ylhydrazone (papyH) cobalt complexes 34
Pyridoxal isonicotinoyl hydrazone
iron complexes 338
Pyrimidine
nickel phenyl-dimethylpyrimidine-thione complexes 212
Pyrrole-2-carboxaldehyde
Schiff base complexes 19
Quinoline
regioselective homogeneous hydrogenation 246
Quinoline-8-olates
osmium-containing nitrosylosmium complexes 59
Quinonoid
$[Cr(CO)_4(Ph_2P)_2C{=}C_6H_4{=}C(R)O_2CR\text{-}P,P]$ complexes 120
Redox
cationic β-diketonato molybdenum complexes 559
manganese complexes with 3-aminopyrazine-2-carboxylate in dimethylsulphoxide 179
Reduction
regioselective catalysed $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ reduction of quinoline 246
Rhenium
cyclophosphazenerhenium imides 365
reactions of dirhenium complexes with alkynes 625
tetrachloro-(diphenylphosphine)methane)dirhenium adducts 409
Rhodium
aminomethylphosphine complexes 548
diphenyl diketone monothiosemicarbazone (DKTS) complexes 126
formate catalytic reactions 321
hydroxyethyl-tribenzimidazolylmethylethylenediamine complexes 273
[RhCl(cod)(1-hexene)] catalysed hydrosilylation 435
Ribose
oxidation by diperiodatoargentate 344
Ruthenium
arene complexes 595
chloride reactions with O-donor ligands 330
dihalodicarbonylruthenium-*bis*(tertiaryphosphine chalcogenide) 501
diphenyl diketone monothiosemicarbazone (DKTS) complexes 126
dodecacarbonyltriruthenium 615
formate catalytic reactions 321
monopicolinate complexes 138
oxo-acetonitriletrichlororuthenium 413
oxoruthenates 590
paracyclophane cluster 577
regioselective catalysed $[RuH(CO)(NCMe)_2(PPh_3)_2]BF_4$ reduction of quinoline 246
$RuH_2(CO)(PPh_3)_3$ synthesis in CO_2 and H_2 atmosphere 118
thioether oxa ionophore complexes 600
trimethylamine *N*-oxide activation reaction products of $Ru_4(CO)_{12}(\mu_4\text{-}C_6H_8)$ with cyclohexa-1,3- diene 565
Salicoyl-phenylthiosemicarbazide
copper complexes 481
Salicylaldehyde benzoyl hydrazone
iron complexes 338
Salicylideneacetylacetone
macrocyclic copper complex 76
Schiff bases
complexes of copper, nickel, cobalt, vanadyl 472
macrocycles containing pendant groups 13
14-membered macrocyclic 76
oxo-tricyano complexes 291
pyrrole-2-carboxaldehyde complexes 19
redox-active 196
Selenomethionine
copper complexes 225
zinc complexes 225
Semicarbazone
transition metal complexes 157
Silanes
oxidative addition to $[RhCl(cod)PPh_3]$ 162
Silicon
oxidative addition of trisubstituted silanes to $[RhCl(cod)PPh_3]$ 162
[RhCl(cod)(1-hexene)] catalysed hydrosilylation 435
Silver
(diphenylphosphino)ethane complexes 523
isoorotate complexes 262
thioisoorotate complexes 262
Sodium dodecyl sulphate
manganese-Schiff base complex reactions 494
Solvents
oxalactocobaltate thermal decomposition 316
Solvolysis
molybdenum tricarbonyl complexes 583
Spectral properties
benzilic ester complexes 423
bromo(2-acetylpyridine ^4N-methylthiosemicarbazonato)copper 84
cobalt arylhydrazone complexes 309
cobalt dithioxamide complexes 477
cobalt hydroxycinnamoyl acetophenones complexes 356
copper arylhydrazone complexes 309
copper dithiocarbamate complexes 347
copper glycylglycine complexes 351
copper hydroxycinnamoyl acetophenones complexes 356
copper-SPT complexes 481
copper-thiolate complexes 440
[Cu(L-Glu)(Im)] complex 115
dimethyl-pyrazolyl aldazine copper complexes 448
ferrocene derivatives 300
$GaW_9V_3O_{40}^{8-}$ heteropolyanion 327
mandelic ester complexes 423
mixed-ligand complexes $M(DIAFO)_2(NCS)_2$ and $M(DIAFH)_2X_2$ 191
nickel arylhydrazone complexes 309
nickel chloro complexes 369
nickel dithiocarbamate complexes 347
nickel hydroxycinnamoyl acetophenones complexes 356
nickel phenyl-dimethylpyrimidine-thione complexes 212
nickel redox-active Schiff base complexes 196
oxamic acid complexes 454
oxo-acetonitriletrichlororuthenium 413
Schiff-base complexes of copper, nickel, cobalt, vanadyl 472
tetrahydroisoquinoline nickel, palladium and platinum complexes 97
tetrahydroquinoline nickel, palladium and platinum complexes 97
thiosemicarbazone complexes 228
transition metal 2-mercaptobenzothiazole complexes 391
Stereoelectronics
[RhCl(cod)(1-hexene)] catalysed hydrosilylation 435
Structure
acetylpyrazine 3-azabicyclo[3.2.2]nonylthiosemicarbazone cobalt complex 228
benzilic ester complexes 423
carbene complexes of chromium and tungsten 508
cationic β-diketonato molybdenum complexes 559
cobalt imidazole complexes 276
$Co(DIAFO)_2(NCS)_2$ 191
copper (nitrophenyl)azo-phenyloxazolin-one complex 384
copper phenylhydrazoacetylacetone isonicotinoyl hydrazone complexes 104
copper thiotungstate clusters 376
[Cu(L-Glu)(Im)] complex 115
dichlorocyclopentylamine(dimethyl sulphoxide)-platinum 200
(dimethylsilanediyl)dimethylene-*bis*(trimethylsilylmethyl)molybdio-*tris*(trimethylphosphine)molybdenum 574
bis(diphenylphosphine)ferrocene derivatives 380
dodecacarbonyltriruthenium 615
$[Et_3NH][(Ph_2PCH_2)_2N(CH_2)_2SO_3]$ 548
gold thiolate complexes 372
mandelic ester complexes 423
molybdenum dioxodialkylbipyridyl complexes 426
oxo-acetonitriletrichlororuthenium 413
paracyclophane ruthenium cluster 577

trans-*bis*-methylpyridine)*bis*(8-quinolinolato-N^1, O^8)monohydrate 498
trinuclear copper complexes with bridging nitronyl nitroxides 136
Succinyldihydrazide
macrocyclic ligand complexes 100
Sugars
copper α-amino acid complexes 402
oxidation by diperiodatoargentate 344
Sulphate
metol oxidation 111
Tetrabromophthalato
bridged manganese binuclear complexes 399
Tetrachloro-(diphenylphosphine)methane)dirhenium adducts 409
Tetrachlorophthalato
bridged manganese binuclear complexes, magnetic properties 270
Tetradentate
tripodal ligand iron complexes 144
Tetrahydroisoquinoline dithiocarbamate
nickel complexes 97
palladium complexes 97
platinum complexes 97
Tetrahydroquinoline dithiocarbamate
nickel complexes 97
palladium complexes 97
platinum complexes 97
Tetramethylisophthalthioamide
cyclopalladation 528
Tetrathiomolybdates
nickel 56
Thallium
tetrachloroaurate oxidation 367
Thermal analysis
dodecacarbonyltriruthenium 615
formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone transition metal complexes 511
oxamic acid complexes 454
Thermal decomposition
tris-oxalactocobaltate complex 316
Thermal properties
isoorotic palladium, platinum, silver complexes 262
thioisootic palladium, platinum, silver complexes 262
Thermogravimetry
ruthenium chloride-water products of reaction 330
Thioether
molybdenum tricarbonyl complexes 583
ruthenium thioether oxa ionophore complexes 600
Thioisoorote
palladium, platinum, silver complexes 262
Thiolate
copper complexes 440
gold complexes 372
Thiosemicarbazonato
copper complex 84
Thiosemicarbazone
cobalt complexes 228
copper complexes 303
Thiotungstate
copper clusters 376
Tin
bis(diphenylphosphine)ferrocene derivatives 380
$[Fe_2(\eta\text{-}Cp)_2(CNAr)_4]$ reactions 540
Titanium
$[(Cp)_2Ti(NCS)_2]$ as potential metalloligand 469
α-$[P_2W_{15}O_{62}Ti3]^{12-}$ heteropolyanions 188
Tolman
cone angle determination 533
Toxicity
chromate 636
Trace metal
ion catalysis 111
Transition metals
coordination compounds 413
dichlorosulphato *bis*(1,3-propylenediamine) complexes with dialkyltin dichlorides 142
diphenyl diketone monothiosemicarbazone (DKTS) complexes 126
formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone complexes 511
imidazolates 46
interaction with iminodiacetato(pentaammine/tetraammine)cobalt 463
mercaptobenzothiazole complexes 391
nitrido complexes 590
oxo complexes 590
pyrazolates 46
undecatungstozirconates 81
Tricyanomethanide
cobalt complexes 276
Triethylenetetraminehexaacetate
iron-copper complex 280
Tripyridylamine
ruthenium complexes 595
Tungsten
GaW_9V_3 polyanion NMR spectra 327
$GaW_9V_3O_{40}^{8-}$ heteropolyanion 327
octacyanometallate reactions in acidic aqueous media containing bipyridyl or phenanthroline 174
oxo-tricyano complexes with bidentate Schiff bases 291
thiotungstate clusters 376
tricarbonyl *bis*-[Di(*N*,*N*''-allylamino)carbene] complexes 508
Undecatungstozirconates
transition metal 81
UV-VIS
formylferrocenyl-3-hydroxyl-2-naphthoylhydrazone transition metal complexes 511
oxo-acetonitriletrichlororuthenium 413
ruthenium chloride-water products of reaction 330
Vanadium
butylphenoxo complexes 388
GaW_9V_3 polyanion NMR spectra 327
$GaW_9V_3O_{40}^{8-}$ heteropolyanion 327
oxovanadium mercaptotriazole complexes 107
Vanadyl
Schiff-base complexes 472
Voltammetry
cobalt tetraazacyclopentadecane 552
macrocyclic copper complex 76
ruthenium monopicolinate complexes 138
Water
ruthenium chloride reactions 330
Xylose
oxidation by diperiodatoargentate 344
Zinc
binuclear 30-membered hexa-aza macrocyclic ligand complexes 220
cyclic hydrazone and semicarbazone complexes 157
diphenyl diketone monothiosemicarbazone (DKTS) complexes 126
(ethylenediamine)copper cation stabilized 123
imidazolates 46
mercaptobenzothiazole complexes 391
pyrazolates 46
pyridine complexes 256
pyrrole-2-carboxaldehyde Schiff bases 19
selenomethionine complexes 225
Zirconium
$[P_2W_{15}O_{62}Zr_3]^{12-}$ heteropolyanions 188
phenylphosphonate, $[Cu(NH_3)_4]^{2+}$ sorbed on 166
phosphate, $[Cu(NH_3)_4]^{2+}$ sorbed on 166